

**DEMOCRATIC SOCIALIST REPUBLIC OF
SRI LANKA**



**Supply, Delivery, Installation and Commissioning of Laboratory
Equipment for Faculty of Medicine,
Uva Wellassa University**

UWU/G/NCB/FOM/23/01

BIDDING DOCUMENT

Bid Opening on	19/09/2023
Bid Validity up to	19/12/2023

Client:

**Uva Wellassa University of Sri Lanka
Passara Road
Badulla**

CONTENTS

Content	Page Nos.
Section I: Instructions to Bidders (ITB)	3-20
Section VI: Conditions of Contract (CC)	21-33
Section VIII: Contract Forms	34-37
Section II: Bidding Data Sheet (BDS)	38-39
Section III: Evaluation and Qualification Criteria	40-41
Section IV: Bidding Forms	42-43
Price Schedule	44-48
Bid Guarantee	49
Manufacture's Authorization	50
Section V: Schedule of Requirements	51-53
Technical specification	54-83
Section VII: Contract Data	84
Procurement Notice	85-88

**Section I.
Instructions to Bidders (ITB)**

ITB shall be read in conjunction with the Section II, Bidding Data Sheet (BDS), which shall take precedence over ITB. **General**

<p>1. Scope of Bid</p>	<p>1.1 The Purchaser indicated in the Bidding Data Sheet (BDS), issues these Bidding Documents for the supply of Goods and Related Services incidental thereto as specified in Section V, Schedule of Requirements. The name and identification number of this procurement are specified in the BDS. The name, identification, and number of package (individual contracts), if any, are provided in the BDS.</p> <p>1.2 Throughout these Bidding Documents : (a) the term “ in writing” means communicated in written form by mail (other than electronic mail) or hand delivered with proof of receipt; (b) if the context so requires “ singular” means “ plural” and vice versa; and (c) “Day” means calendar day.</p>
<p>2. Source of Funds</p>	<p>2.1 Payments under this contract will be financed by the source specified in the BDS.</p>
<p>3. Ethics, Fraud and Corruption</p>	<p>3.1 The attention of the bidders is drawn to the following guidelines of the Procurement Guidelines published by National Procurement Agency:</p> <ul style="list-style-type: none"> • Parties associated with Procurement Actions, namely, suppliers/contractors and officials shall ensure that they maintain strict confidentiality throughout the process; • Officials shall refrain from receiving any personal gain from any Procurement Action. No gifts or inducement shall be accepted. Suppliers/contractors are liable to be disqualified from the bidding process if found offering any gift or inducement which may have an effect of influencing a decision or impairing the objectivity of an official. <p>3.2 The Purchaser requires the bidders, suppliers, contractors, and consultants to observe the highest standard of ethics during the procurement and execution of such contracts. In pursuit of this policy: corrupt practice” means the offering, giving,</p>

	<p>receiving, or soliciting, directly or indirectly, of anything of value to influence the action of a public official in the procurement process or in contract execution;</p> <p>(b) “fraudulent practice” means a misrepresentation or omission of facts in order to influence a procurement process or the execution of a contract;</p> <p>(c) “collusive practice” means a scheme or arrangement between two or more bidders, with or without the knowledge of the Purchaser to establish bid prices at artificial, noncompetitive levels; and</p> <p>(d) “Coercive practice” means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in the procurement process or affect the execution of a contract.</p> <p>3.3 If the Purchaser found any unethical practices as stipulated under ITB Clause 3.2, the Purchaser will reject a bid, if it is found that a Bidder directly or through an agent, engaged in corrupt, fraudulent, collusive or coercive practices in competing for the Contract in question.</p>
<p>4. Eligible Bidders</p>	<p>4.1 All bidders shall possess legal rights to supply the Goods under this contract.</p> <p>4.2 A Bidder shall not have a conflict of interest. All bidders found to have conflict of interest shall be disqualified. Bidders may be considered to have a conflict of interest with one or more parties in this bidding process, if they:</p> <p>(a) are or have been associated in the past, with a firm or any of its affiliates which have been engaged by the purchaser to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods to be purchased under these Bidding Documents; or</p> <p>(b) Submit more than one bid in this bidding process. However, this does not limit the participation of subcontractors in more than one bid.</p> <p>4.3 A Bidder that is under a declaration of ineligibility by the National Procurement Agency (NPA), at the date of submission of bids or at the date of contract award, shall be</p>

	<p>disqualified. The list of debarred firms is available at the website of NPA, www.npa.gov.lk.</p> <p>4.4 Foreign Bidder may submit a bid only if so stated in the BDS.</p>
5. Eligible Goods and Related Services	<p>5.1 All goods supplied under this contract shall be complied with applicable standards stipulated by the Sri Lanka Standards Institute (SLSI). In the absence of such standards, the Goods supplied shall be complied to other internationally accepted standards.</p>
6. Sections of Bidding Documents	<p>6.1 The Bidding Documents consist of 2 Volumes, which include all the sections indicated below, and should be read in conjunction with any addendum issued in accordance with ITB Clause 8.</p> <p>Volume 1</p> <ul style="list-style-type: none"> • Section I. Instructions to Bidders (ITB) • Section VI. Conditions of Contract (CC) • Section VIII. Contract Forms <p>Volume 2</p> <ul style="list-style-type: none"> • Section II. Bidding Data Sheet (BDS) • Section III. Evaluation and Qualification Criteria • Section IV. Bidding Forms • Section V. Schedule of Requirements • VII. Contract Data • Invitation For Bid <p>6.2 The Bidder is expected to examine all instructions, forms, terms, and specifications in the Bidding Documents. Failure to furnish all information or documentation required by the Bidding Documents may result in the rejection of the bid.</p>
7. Clarification of Bidding Documents	<p>1. A prospective Bidder requiring any clarification of the Bidding Documents including the restrictiveness of specifications shall contact the Purchaser in writing at the Purchaser's address specified in the BDS. The purchaser will respond⁷ in writing to any request for clarification, provided that such request is received no later than ten (10) days prior to the deadline for submission of bids. the purchaser shall forward collies of its response to all those who have purchased the Bidding Documents, including a description of the inquiry but without identifying its source. Should the Purchaser deem it</p>

	necessary to amend the Bidding Documents as a result of a clarification, it shall do so following the procedure under ITB Clause 8.
8.Amendment of Bidding Documents	<p>8.1 At any time prior to the deadline for submission of bids, the Purchaser may amend the Bidding Documents by issuing addendum.</p> <p>8.2 Any addendum issued shall be part of the Bidding Documents and shall be communicated in writing to all who have purchased the Bidding Documents.</p> <p>8.3 To give prospective Bidders reasonable time in which to take an addendum into account in preparing their bids, the purchaser may, at its discretion, extend the deadline for the submission of bids, pursuant to ITB Sub-Clause 23.2</p>
9.Cost of Bidding	9.1 The Bidder shall bear all costs associated with the preparation and submission of its bid, and the Purchaser shall not be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.
10.Language of Bid	10.1 The Bid, as well as all correspondence and documents relating to the Bid (Including supporting documents and printed literature) exchanged by the Bidder and the Purchaser, shall be written in English language
11.Documents Comprising the Bid	<p>11.1 The Bid shall comprise the following:</p> <p>(a) Bid Submission Form and the applicable Price Schedules, in accordance with ITB Clauses 12, 14, and 15;</p> <p>(b) Bid Security or Bid-Securing Declaration, in accordance with ITB Clause 20;</p> <p>(c) documentary evidence in accordance with ITB Clauses 18 and 29, that the Goods and Related Services conform to the Bidding Documents;</p> <p>(d) documentary evidence in accordance with ITB Clause 18 establishing the Bidder's qualifications to perform the contract if its bid is accepted; and</p> <p>(e) Any other document required in the BDS.</p>
12.Bid Submission form and Price schedules	12.1 The Bidder shall submit the Bid Submission Form using the form furnished in Section IV, Bidding Forms. This form must be completed without any alterations to its format, and no substitutes shall be accepted. All blank spaces shall be filled in with the information requested

<p>13.Alternative Bids</p>	<p>13.1 Alternative bids shall not be considered.</p>
<p>14.Bid Prices and Discounts</p>	<p>14.1 The Bidder shall indicate on the Price Schedule the unit prices and total bid prices of the goods it proposes to supply under the Contract.</p> <p>14.2 Any discount offered against any single item in the price schedule shall be included in the unit price of the item. However, a Bidder wishes to offer discount as a lot the bidder may do so by indicating such amounts appropriately.</p> <p>14.3 If so indicated in ITB Sub-Clause 1.1, bids are being invited for individual contracts (package) or for any combination of contracts. Unless otherwise indicated in the BDS, prices quoted shall correspond to 100 % of the items specified for each lot and to 100% of the quantities specified for each item of a lot. Bidders wishing to offer any price reduction (discount) for the award of more than one Contract shall specify the applicable price reduction separately.</p> <p>14.4 (i) Prices indicated on the Price Schedule shall include all duties and sales and other taxes already paid or payable by the Supplier: (a) on components and raw material used in the manufacture or assembly of goods quoted; or (b) on the previously imported goods of foreign origin (ii) However, VAT shall not be included in the price but shall be indicated separately; (iii) the price for inland transportation, insurance and other related services to deliver the goods to their final destination; (iv) the price of other incidental services</p> <p>14.5 The Prices quoted by the Bidder shall be fixed during the Bidder's performance of the Contract and not subject to variation on any account. A bid submitted with an adjustable price quotation will be treated as non-responsive and rejected, pursuant to ITB Clause 31.</p> <p>14.6 All package, if any and items must be listed and priced separately in the Price Schedules. If a Price Schedule shows items listed but not priced, their prices shall be assumed to be included in the prices of other</p>

	items
15.Currencies of Bid	15.1 Unless otherwise stated in Bidding Data Sheet, the Bidder shall quote in Sri Lankan Rupees and payment shall be payable only in Sri Lanka Rupees.
16. Documents Establishing the Eligibility of the Bidder	16.1 To establish their eligibility in accordance with ITB Clause 4, Bidders shall complete the Bid Submission Form, included in Section IV, Bidding Forms.
17. Documents Establishments	<p>17.1 To establish the conformity of the Goods and Related Services to the Bidding Documents, the Bidder shall furnish as part of its Bid the documentary evidence that the Goods conform to the technical specifications and standards specified in Section V, Schedule of Requirements.</p> <p>17.2 The documentary evidence may be in the form of literature, drawings or data, and shall consist of a detailed item by item description (given in Section V, Technical Specifications) of the essential technical and performance characteristics of the Goods and Related Services, demonstrating substantial responsiveness of the Goods and Related Services to the technical specification, and if applicable, a statement of deviations and exceptions to the provisions of the Schedule of Requirements.</p> <p>17.3 The Bidder shall also furnish a list giving full particulars, including quantities, available sources and current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the Goods during the period if specified in the BDS following commencement of the use of the goods by the Purchaser.</p>
18.Documents Establishing the Qualifications of the Bidder	<p>18.1 The documentary evidence of contract if its bid is accepted shall establish</p> <p>(a) A Bidder that does not manufacture or produce the Goods it offers to supply shall submit the Manufacturer's Authorization using the form included in section IV, Bidding Forms to demonstrate that it has been duly authorized by the manufacturer or producer of the Goods to supply these Goods;</p> <p>(b) that, if required in the BDS, in case of a Bidder not doing business within Sri Lanka, the Bidder is or will be (if awarded the contract) represented by an Agent in Sri</p>

	<p>Lanka equipped and able to carry out the Supplier's maintenance , repair and spare parts stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications; and</p> <p>(c) That the Bidder meets each of the qualification criteria specified in Section III, Evaluation and Qualification Criteria</p>
<p>19.Period of Validity of Bids</p>	<p>19.1 Bids shall remain valid until the date specified in the BDS. A bid valid for a shorter date shall be rejected by the Purchaser as non-responsive.</p> <p>19.2 In exceptional circumstances, prior to the expiration of the bid validity date, the Purchaser may request bidders to extend the period of validity of their bids. The request and the responses shall be made in writing. If a Bid Security is requested in accordance with ITB Clause 20, it shall also be extended for a corresponding period. A Bidder may refuse he request without forfeiting its Bid Security. A Bidder granting the request shall not be required or permitted to modify its bid.</p>

<p>20. Bid Security</p>	<p>20.1 The Bidder shall furnish as part of its bid, a Bid Security as specified in the BDS.</p> <p>20.2 The Bid Security shall be in the amount specified in the BDS and denominated in Sri Lanka Rupees, and shall:</p> <p>(a) at the bidder’s option, be in the form of either a bank draft, a letter of credit, or a bank guarantee from a banking institution;</p> <p>(b) be issued by a institution acceptable to Purchaser. The acceptable institutes are published in the NPA website, www.npa.gov.lk.</p> <p>(c) be substantially in accordance with the form included in Section IV, Bidding Forms;</p> <p>(d) be payable promptly upon written demand by the Purchaser in case the conditions listed in ITB Clause 20.5 are invoked;</p> <p>(e) be submitted in its original form; copies will not be accepted;</p> <p>(f) Remain valid for the period specified in the BDS.</p> <p>20.3 Any bid not accompanied by a substantially responsive Bid Security in Accordance with ITB Sub-Clause 20.1 and 20.2, may be rejected by the Purchaser as non-responsive.</p> <p>20.4 The Bid Security of unsuccessful Bidders shall be returned as promptly as possible upon the successful Bidder’s furnishing of the Performance Security pursuant to ITB Clause 43.</p> <p>20.5 The Bid Security may be forfeited:</p> <p>(a) if a Bidder withdraws its bid during the period of bid validity specified by the Bidder on the Bid Submission Form, except as provided in ITB Sub- Clause 19.2; or</p>
<p>21.Format and Signing of Bid</p>	<p>21.1 The Bidder shall prepare one original of the documents comprising the bid as described in ITB Clause 11 and clearly mark it as “ORIGINAL”. In addition, the Bidder shall submit a copy of the bid and clearly mark it as “COPY. “In the event of any discrepancy between the original and the copy, the original shall prevail.</p> <p>21.2 The original and the Copy of the bid shall be typed or written in indelible ink and shall be signed by a person duly authorized to sign on behalf of the Bidder.</p>

	<p>21.3 Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by the person signing the Bid.</p>
<p>Submission and Opening of Bids</p>	
<p>22.Submission Sealing and Marking of Bids</p>	<p>22.1 Bidders may always submit their bids by mail or by hand. (a) Bidders submitting bids by mail or by hand, shall enclose the original and the copy of the Bid in separate sealed envelopes, duly marking the envelopes as “ORIGINAL” and “COPY.” These envelopes containing the original and the copy shall then be enclosed in one single envelope. 22.2 The inner and outer envelopes shall: (a) Bear the name and address of the Bidder; be addressed to the Purchaser in accordance with ITB Sub-Clause 23.1; (c) bear the specific identification of this bidding process as indicated in the BDS; and (d) Bear a warning not to open before the time and date for bid opening, in accordance with ITB Sub-Clause 261. If all envelopes are not sealed and marked as required, the Purchaser will assume no responsibility for the misplacement or premature opening of the bid</p>
<p>23.Deadline for Submission of Bids</p>	<p>23.1 Bids must be received by the Purchaser at the address and no later than the date and time specified in the BDS. 23.2 The Purchaser may, at its discretion, extend the deadline for the submission of bids by amending the Bidding Documents in accordance with ITB Clause 8, in which case all rights and obligations of the Purchaser and Bidders previously subject to the deadline shall thereafter be subject to the deadline as extended.</p>
<p>24.Late Bids</p>	<p>24.1 The Purchaser shall not consider any bid that arrives after the deadline for submission of bids, in accordance with ITB Clause 23. Any bid received by the Purchaser after the deadline for submission of bids shall be declared late, rejected, and returned unopened to the Bidder.</p>

<p>25. Withdrawal, and Modification on of Bids</p>	<p>25.1 A Bidder may withdraw, or modify its Bid after it has been submitted by sending a written notice in accordance with ITB Clause 22, duly signed by an authorized representative, and shall include a copy of the authorization in accordance with ITB Sub-Clause 21.2, (except that no copies of the withdrawal notice are required). The corresponding substitution or modification of the bid must accompany the respective written notice. All notices must be:</p> <p>(a) submitted in accordance with ITB Clauses 21 and 22 (except that no copies of the withdrawal notice are required). The corresponding substitution or modification of the bid must accompany the respective written notice. All notices must be:</p> <p>(a) submitted in accordance with ITB Clauses 21 and 22 (except that withdrawal notices do not require copies), and in addition, the respective envelopes shall be clearly marked “WITHDRAWAL,” or “ MODIFICATION”;</p> <p>and</p> <p>(b) Received by the Purchaser prior to the deadline prescribed for submission of bids, in accordance with ITB Clause 23.</p> <p>25.2 Bids requested to be withdrawn in accordance with ITB Sub-Clause 25.1 shall be returned to the Bidders only upon notification of contract award to the successful bidder in accordance with sub clause 41.1.</p> <p>25.3 No bid may be withdrawn, substituted, or modified in the interval between the deadline for submission of bids and the expiration of the period of bid validity specified by the Bidder on the Bid Submission Form or any extension thereof.</p>
<p>26. Bid Opening</p>	<p>26.1 The Purchaser shall conduct the bid opening in public at the address, date and time specified in the BDS.</p> <p>26.2 First, envelopes marked “WITHDRAWAL” shall be opened and read out and the envelope with the corresponding</p>

bid may be opened at the discretion of the Purchaser. No bid withdrawal shall be permitted unless the corresponding withdrawal notice contains a valid authorization to request the withdrawal and is read out at bid opening. Envelopes marked "MODIFICATION" shall be opened and read out with the corresponding Bid. No Bid modification shall be permitted unless the corresponding modification notice contains a valid authorization to request the modification and is read out at Bid opening. Only envelopes that are opened and read out at Bid opening shall be considered further

26.3 All other envelopes shall be opened one at a time, reading out: the name of the Bidder and whether there is a modification; the Bid Prices, including any discounts and alternative offers; the presence of a Bid Security or Bid-Securing Declaration, if required; and any other details as the Purchaser may consider appropriate. Only discounts and alternative offers read out at Bid opening shall be considered for evaluation. No Bid shall be rejected at Bid opening except for late bids, in accordance with ITB Sub Clause 24.1.

26.4 The Purchaser shall prepare a record of the Bid opening that shall include, as a minimum: the name of the Bidder and whether there is a withdrawal, or modification; the Bid Price, per lot if applicable, including any discounts, and the presence or absence of a Bid Security. The bids that were opened shall be resealed in separate envelopes, promptly after the bid opening. The bidders representatives who are present shall be requested to sign the attendance sheet. A copy of the record shall be distributed to all Bidders who submitted bids in time.

Evaluation and Comparison of Bids

<p>27. Confidentiality</p>	<p>27.1 Information relating to the examination, evaluation, comparison, and post-qualification (if applicable) of bids, and recommendation of contract award, shall not be disclosed to bidders or any other persons not officially concerned with such process until publication of the Contract Award.</p> <p>27.2 Any effort by a Bidder to influence the Purchaser in the examination, evaluation, comparison, and post-qualification of the bids or contract award decisions may result in the rejection of its Bid.</p> <p>27.3 Notwithstanding ITB Sub-Clause 27.2, if any Bidder wishes to contact the Purchaser on any matter related to the bidding process, from the time of bid opening to the time of Contract Award, it should do so in writing.</p>
<p>28. Clarification of Bids</p>	<p>28.1 To assist in the examination, evaluation, comparison and post-qualification of the bids, the Purchaser may, at its discretion, request any Bidder for a clarification of its Bid. Any clarification submitted by a Bidder in respect to its Bid and that is not in response to a request by the Purchaser shall not be considered for purpose of evaluation. The Purchaser's request for clarification and the response shall be in writing. No change in the prices or substance of the Bid shall be sought, offered, or permitted, except to confirm the correction of arithmetic errors discovered by the Purchaser in the Evaluation of the bids, in accordance with ITB Clause 30.</p>
<p>29. Responsiveness of Bids</p>	<p>29.1 The Purchaser's determination of a bid's responsiveness is to be based on the contents of the bid itself.</p> <p>29.2 A substantially responsive Bid is one that conforms to all the terms, conditions, and specifications of the Bidding Documents without material deviation, reservation, or omission. A material deviation, reservation, or omission is one that:</p> <p>(a) affects in any substantial way the scope,</p>

	<p>quality, or performance of the Goods and Related Services specified in the Contract; or</p> <p>(b) limits in any substantial way, inconsistent with the Bidding Documents, the Purchaser's right or the Bidder's obligations under the Contract ; or</p> <p>(b) If rectified would unfairly affect the competitive position of other bidders presenting substantially responsive bids. 29.3 If a bid is not substantially responsive to the Bidding Documents, it shall be rejected by the Purchaser and may not subsequently be made responsive by the Bidder by correction of the material deviation, reservation, or omission.</p>
<p>30. Nonconformities, Errors and Omissions</p>	<p>30.1 Provided that a Bid is substantially responsive, the Purchaser may waive any non-conformities or omissions in the Bid that do not constitute a material deviation.</p> <p>30.2 Provided that a bid is substantially responsive, the Purchaser may request that the Bidder submit the necessary information or documentation, within a reasonable period of time, to rectify nonmaterial nonconformities or omissions in the bid related to documentation requirements. Such omission shall not be related to any aspect of the price of the Bid. Failure of the Bidder to comply with the request may result in the rejection of its Bid.</p> <p>30.3 Provided that the Bid is substantially responsive, the Purchaser shall correct arithmetical errors on the following basis:</p> <p>(a) if there is a discrepancy between the unit price and the line item total that is obtained by multiplying the unit price by the quantity, the unit price shall prevail and the line item total shall be corrected, unless in the opinion of the Purchaser there is an obvious misplacement of the decimal point in the unit price, in which case the line item total as quoted shall govern and the unit price shall be corrected;</p> <p>(b) if there is an error in a total corresponding to the addition or subtraction of subtotals, the</p>

	<p>subtotals shall prevail and the total shall be corrected; and</p> <p>(c) If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (a) and (b) above.</p> <p>30.4 If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be disqualified and its Bid-Securing Declaration shall be executed</p>
<p>31. Preliminary Examination of Bids</p>	<p>31.1 The Purchaser shall examine the bids to confirm that all documents and Technical documentation requested in ITB Clause 11 have been provided, and to determine the completeness of each document submitted.</p> <p>31.2 The Purchaser shall confirm that the following documents and information have been provided in the Bid. If any of these documents or information is missing, the Bid shall be rejected.</p> <p>(a) Bid Submission Form, in accordance with ITB Sub- Clause 12.1;</p> <p>(b) Price Schedules, in accordance with ITB Sub-Clause 12;</p> <p>(c) Bid Security, in accordance with ITB Clause 20.</p>
<p>32. Examination of Terms and Conditions ; Technical Evaluation</p>	<p>32.1 The Purchaser shall examine the Bid to confirm that all terms and conditions specified in the CC and the Contract Data have been accepted by the Bidder without any material deviation or reservation.</p> <p>32.2 The Purchaser shall evaluate the technical aspects of the Bid submitted in accordance with ITB Clause 17, to confirm that all requirements specified in Section V, Schedule of Requirements of the Bidding Documents have been met without any material deviation or reservation.</p> <p>32.3 If, after the examination of the terms and</p>

	<p>conditions and the technical, evaluation the Purchaser determines that the Bid is not substantially responsive in accordance with ITB Clause 29, the Purchaser shall reject the Bid.</p>
33. Conversion to Single Currency	<p>33.1 If the bidders are allowed to quote in foreign currencies in accordance with sub clause 15.1, for evaluation and comparison purposes, the Purchaser shall convert all bid prices expressed in foreign currencies in to Sri Lankan Rupees using the selling rates prevailed 28 days prior to closing of bids as published by the Central Bank of Sri Lanka. If this date falls on a public holiday the earliest working day prior to the date shall be applicable</p>
34. Domestic Preference	<p>34.1 Domestic preference shall be a factor in bid evaluation only if stated in the BDS. If domestic preference shall be a bid evaluation factor, the methodology for calculating the margin of preference and the criteria for its application shall be as specified in Section III, Evaluation and Qualification Criteria.</p>
35. Evaluation of Bids	<p>35.1 The Purchaser shall evaluate each bid that has been determined, up to this stage of the evaluation, to be substantially responsive.</p> <p>35.2 To evaluate a Bid, the Purchaser shall only use all the factors, methodologies and criteria defined in this ITB Clause 35.</p> <p>35.3 To evaluate a Bid, the Purchaser shall consider the following:</p> <p>(a) the Bid Price as quoted in accordance with clause 14;</p> <p>(b) price adjustment for correction of arithmetic errors in accordance with ITB Sub-Clause 30.3;</p> <p>(c) price adjustment due to discounts offered in accordance with ITB Sub-Clause 14.2; and 14.3</p> <p>(d) adjustments due to the application of the evaluation criteria specified in the BDS from amongst those set out in Section III, Evaluation and Qualification Criteria;</p>

	<p>(e) Adjustments due to the application of a domestic preference, in accordance with ITB Clause 34 if applicable.</p> <p>35.4 The Purchaser's evaluation o factors, in addition to the factors stated in ITB Sub-Clause 35.3, if specified in BDS. These factors may be related to the characteristics, performance, and terms and conditions of purchase of the Goods and Related Services. The effect of the factors selected, if any, shall be expressed in monetary terms to facilitate comparison of bids 35.5 If so specified in the BDS, these Bidding Documents shall allow Bidders to quote for one or more package, and shall allow the Purchaser to award one or multiple package to more than one Bidder. Multiple offers shall not be consider for each item. The methodology of evaluation to determine the lowest-evaluated lot combinations is specified in Section III, Evaluation and Qualification Criteria.</p>
<p>36. Comparison of Bids</p>	<p>36.1 The Purchaser shall compare all substantially responsive bids to determine the lowest-evaluated bid, in accordance with ITB Clause 35.</p>
<p>37. Post Qualification of the Bidder</p>	<p>37.1The Purchaser shall determine to its satisfaction whether the Bidder that is selected as having submitted the lowest evaluated and substantially responsive bid is qualified to perform the Contract satisfactorily.</p> <p>37.2 The determination shall be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the bidder, pursuant to ITB Clause 18.</p> <p>37.3 An affirmative determination shall be a prerequisite for award of the Contract to the Bidder. A negative determination shall result in disqualification of the bid, in which event the Purchaser shall proceed to the next lowest evaluated bid to make a similar determination of that Bidder's capabilities to perform satisfactorily.</p>

38. Purchaser’s Right to Accept Any Bid, and to Reject Any or All Bids	38.1 The Purchaser reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to contract award, without there by incurring any liability to Bidders
Award of Contract	
39. Award Criteria	39.1 The Purchaser shall award the Contract to the Bidder whose offer has been determined to be the lowest evaluated bid and is substantially responsive to the Bidding Documents, provided further that the Bidder is determined to be qualified to perform the Contract satisfactorily
40. Purchaser’s Right to Vary Quantities at Time of Award	40.1 At the time the Contract is awarded, the Purchaser reserves the right to increase or decrease the quantity of Goods and Related Services originally specified in Section V, Schedule of Requirements, provided this does not exceed twenty five percent (25%) or one unit whichever is higher and without any change in the unit prices or other terms and conditions of the bid and the Bidding Documents.
41. Notification	41.1 Prior to the expiration of the period of bid validity, the Purchaser shall notify the successful Bidder, in writing, that its Bid has been accepted. 41.2 Until a formal Contract is prepared and executed, the notification of award shall constitute a binding Contract. 41.3 Upon the successful Bidder’s performance security pursuant to ITB Clause 43, the Purchaser will promptly notify each unsuccessful Bidder and will discharge its bid security, pursuant to ITB Clause 20.4.
42. Signing of Contract	42.1 Within Seven (7) days after notification, the Purchaser shall complete the Agreement, and inform the successful Bidder to sign it. 42.2 Within Seven (7) days of receipt of such information, the successful Bidder shall sign the Agreement.
43. Performance Security	43.1 Within fourteen (14) days of the receipt

of notification of award from the Purchaser, the successful Bidder, if required, shall furnish the Performance Security in accordance with the CC, using for that purpose the Performance Security Form included in Section VIII Contract forms. The Employer shall promptly notify the name of the winning Bidder to each unsuccessful Bidder and discharge the Bid Securities of the unsuccessful bidders pursuant to ITB Sub-Clause 20.4.

43.2 Failure of the successful Bidder to submit the abovementioned Performance Security or sign the Contract shall constitute sufficient grounds for the annulment of the award and forfeiture of the Bid Security or execution of the Bid- Securing Declaration. In that event the Purchaser may award the Contract to the next lowest evaluated Bidder, whose offer is substantially responsive and is determined by the Purchaser to be qualified to perform the Contract satisfactorily.

Section VI Conditions of Contract

1. Definitions

1.1 The following words and expressions shall have the meanings hereby assigned to them:

(a) “Contract” means the contract agreement entered into between the Purchaser and the Supplier, together with the Contract Documents referred to therein, including all attachments, appendices, and all documents incorporated by reference therein.

(b) “Contract Documents” means the documents listed in the Contract Agreement, including any amendments thereto.

(c) “Contract Price” means the price payable to the Supplier as specified in the Contract Agreement, subject to such additions and adjustments thereto or deductions therefrom, as may be made pursuant to the Contract.

(d) “Day” means calendar day.

(e) “Completion” means the fulfillment of the supply of Goods to the destination specified and completion of the Related Services by the Supplier in accordance with the terms and conditions set forth in the Contract.

(f) “CC” means the Conditions of Contract.

(g) “Goods” means all of the commodities, raw material, machinery and equipment, and/or other materials that the Supplier is required to supply to the Purchaser under the Contract.

(h) “Purchaser” means the entity purchasing the Goods and related Services, as specified in the Contract Data.

(i) “Related Services” means the services incidental to the supply of the goods, such as insurance, installation, training and initial maintenance and other such obligations of the Supplier under the Contract.

(j) “subcontractor” means any natural person, private or

	<p>government entity, or a combination of the above, to whom any part of the Goods to be supplied or execution of any part of the Related Services is subcontracted by the Supplier, Section VI General Conditions of Contract 51</p> <p>(k) “Supplier” means the natural person, private or government entity, or a combination of the above, whose bid to perform the Contract has been accepted by the Purchaser and is named as such in the Contract Agreement.</p> <p>(l) “The Project Site,” where applicable, means the place named in the Contract Data.</p>
2.Contract Documents	<p>2.1 Subject to the order of precedence set forth in the Contract Agreement, all documents forming the Contract (and all parts thereof) are intended to be correlative, complementary, and mutually explanatory. The Contract Agreement shall be read as a whole.</p>
3. Fraud and Corruption	<p>3.1 The Government of Sri Lanka (GOSL) requires the Purchaser as well as bidders, suppliers, contractors, and consultants to observe the highest standard of ethics during the procurement and execution of such contracts. In pursuit of this policy:</p> <p>(i) “corrupt practice” means offering, giving, receiving, or soliciting, directly or indirectly, of anything of value to influence the action of a public official in the procurement process or in contract execution;</p> <p>(ii) “fraudulent practice” means a misrepresentation or omission of facts in order to influence a procurement process or the execution of a contract;</p> <p>(iii) “Collusive practice” means scheme or arrangement between two or more bidders, with or without the knowledge of the purchaser to establish bid prices at artificial, noncompetitive levels; and</p> <p>(iv) “Coercive practice” means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in the procurement process or affect the execution of a contracts</p>
	<p>4.1 If the context so requires it, singular means plural and vice versa.</p> <p>4.2 Entire Agreement</p> <p>The Contract constitutes the entire agreement between the purchaser and the Supplier and supersedes all communications negotiations and agreements (whether 52 Section VII. General Conditions of Contract written or</p>

	<p>oral) of the parties with respect thereto made prior to the date of Contract.</p> <p>4.3 Amendment No amendment or other variation of the Contract shall be valid unless it is in writing, is dated, expressly refers to the Contract, and is signed by a duly authorized representative of each party thereto.</p> <p>4.4 Severability If any provision or condition of the Contract is prohibited or rendered invalid or unenforceable, such prohibition, invalidity or unenforceability shall not affect the validity or enforceability of any other provisions and conditions of the Contract.</p>
5.Language	<p>5.1 The Contract as well as all correspondence and documents relating to the Contract exchanged by the Supplier and the Purchaser, shall be written in English language. Supporting documents and printed literature that are part of the Contract may be in another language provided they are accompanied by an accurate translation of the relevant passages in the language specified, in which case, for purposes of interpretation of the Contract, this translation shall govern.</p> <p>5.2 The Supplier shall bear all costs of translation to the governing language and all risks of the accuracy of such translation, for documents provided by the Supplier.</p>
6. Joint Venture, Consortium or Association	<p>6.1 If the Supplier is a joint venture, consortium, or association, all of the parties shall be jointly and severally liable to the Purchaser for the fulfillment of the provisions of the Contract and shall designate one party to act as a leader with authority to bind the joint venture, consortium, or association. The composition or the constitution of the joint venture, consortium, or association shall not be altered without the prior consent of the Purchaser</p>
7. Eligibility	<p>7.1 All goods supplied under this contract shall be complied with applicable standards stipulated by the Sri Lanka Standards Institute. In the absence of such standards, the Goods supplied shall be complied to other internationally accepted standards, such as British Standards.</p>
8.Notices	<p>8.1 Any notice given by one party to the other pursuant to the Contract shall be in writing to the address specified in the Contract Data. The term "in writing" means communicated in written form with proof of receipt. Section VI General Conditions of Contract 53</p> <p>8.2 A notice shall be effective when delivered or on the</p>

	notice's effective date, whichever is later.
9. Governing Law	9.1 The Contract shall be governed by and interpreted in accordance with the laws of the Democratic Socialist Republic of Sri Lanka.
10. Settlement of Disputes	<p>10.1 The Purchaser and the Supplier shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the Contract.</p> <p>10.2 If, after twenty-eight (28) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the Supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided, as to the matter in dispute, and no arbitration in respect of this matter may be commenced unless such notice is given. Any dispute or difference in respect of which a notice of intention to commence arbitration has been given in accordance with this Clause shall be finally settled by arbitration. Arbitration may be commenced prior to or after delivery of the Goods under the Contract. Arbitration proceedings shall be conducted in accordance with the Arbitration Act No;11 of 1995.</p> <p>10.3 Notwithstanding any reference to arbitration herein,</p> <p>(a) The parties shall continue to perform their respective obligations</p> <p>under the Contract unless they otherwise agree; and</p> <p>(b) The Purchaser shall pay the Supplier any monies due the Supplier.</p>
11. Scope of Supply	11.1 The Goods and Related Services to be supplied shall be as specified in the Scheduled of Requirements.
12. Deliver and Documents	12.1 Subject to CC sub-Clause 32.1, the Delivery of the Goods and Completion of the related service shall be in accordance with the Delivery and Completion Schedule specified in the schedule of Requirements. Where applicable the details of shipping and other documents to be furnished by the supplier are specified in the Contract Data.
13. Supplier's Responsibilities	13.1 The Supplier shall supply all the Goods and Related Services included in the scope of supply in accordance with CC clause 11, and the Delivery and Completion Schedule, as per CC clause 12.
14. Contract Price	14.1 Prices charged by the Supplier for the Goods supplied and the Related Services performed under the contract shall not vary from the prices quoted by the supplier in its bid.

15. Terms of payment	<p>15.1 The Contract price shall be paid as specified in the Contract Data.</p> <p>15.2 The Supplier's request for payment shall be made to the purchaser in writing, accompanied by invoices describing, as appropriate, the Goods delivered and Related Services performed, and by the documents submitted pursuant to CC clause 12 and upon fulfillment of all other obligations stipulated in the contract.</p> <p>15.3 Payments shall be made promptly by the purchaser, but in no case later than twenty eight (28) days after submission of an invoice or request for payment by the supplier, and after the Purchaser has accepted it.</p>
16. Taxes and Duties	<p>16.1 The Supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted Goods to the purchaser</p>
17. Performance Security	<p>17.1 If required as specified in the Contract Data, the Supplier shall, within fourteen (14) days of the notification of contract award, provide a performance security of Ten percent (10%) of the Contract Price for the performance of the Contract.</p> <p>17.2 The proceeds of the performance Security shall be payable to the purchaser as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.</p> <p>17.3 As specified in the Contract Data, the performance Security, if required, shall be in Sri Lankan Rupees and shall be in the format stipulated by the purchaser in the contract Data, or in another format acceptable to the purchaser.</p> <p>17.4 The performance security shall be discharged by the purchaser and returned to the supplier not later than twenty-eight (28) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations.</p>
18. Copyright	<p>18.1 The copyright in all drawings, documents, and other materials containing data and information furnished to the purchaser by the supplier herein shall remain vested in the supplier, or if they are furnished to the purchaser directly or through the supplier by any third party, including suppliers of materials, the copyright in such materials shall remain vested in such third party.</p>

<p>19. Confidential Information</p>	<p>19.1 The Purchase and the supplier shall keep confidential and shall not, without the written consent of the other party hereto, divulge to any third party any documents, data or other information furnished directly or indirectly by the other party hereto in connection with the Contract, whether such information has been furnished prior to, during or following completion or termination of the Contract. Notwithstanding the above, the supplier may furnish prior to, during or following completion or termination of the contract. Notwithstanding the above, the Supplier may furnish to its Subcontractor such documents, data and other information it receives from the purchaser to the extent required for the subcontractor to perform its work under the contract, in which event the supplier shall obtain from such sub-contractor an undertaking of confidentiality similar to the imposed on the supplier under CC clause 19.</p> <p>19.2 The purchaser shall not use such documents, data and other information received from the Supplier for any purposes unrelated to the contract. Similarly, the Supplier shall not use such documents, data, and other information received from the purchaser for any purpose other than the performance of the contract.</p> <p>19.3 The above provisions of CC clause 19 shall not in any way modify any undertaking of confidentiality given by either of the parties hereto prior to the date of the contract in respect of the supply or any part thereof.</p> <p>19.4 The provisions of CC Clause 19 shall survive completion or termination, for whatever reason, of the contract</p>
<p>20.Subcontracting</p>	<p>20.1 The Supplier shall notify the purchaser in writing of all subcontracts awarded under the contract if not already specified in the bid. Such notification, in the original bid or later shall not relieve the Supplier from any of its obligation, duties, responsibilities, or liability under the contract.</p> <p>20.2 Subcontracts shall comply with the provisions of CC clauses 3 and 7</p>
<p>21. Specifications and Standards</p>	<p>21.1 Technical Specifications and Drawings</p> <p>(a) The Goods and Related services supplied under this Contract shall conform to the technical specifications and standards mentioned in Section V, Schedule of Requirements and, when no applicable standard is mentioned, the standard shall be equivalent or superior to the official standards whose application is appropriate to the Goods country of origin.</p> <p>(b) The supplier shall be entitled to disclaim responsibility for any design, data, drawing, specification or other document, or any modification thereof provided or</p>

	<p>designed by or on behalf of the purchaser, by giving a notice of such disclaimer to the purchaser.</p> <p>(c) Wherever references are made in the Contract to codes and standards in accordance with which it shall be executed, the edition or the revised version of such codes and standards shall be those specified in the Schedule of Requirements. During Contract execution, any changes in any such codes and standards shall be applied only after approval by the purchaser and shall be treated in accordance with CC clause 32.</p>
22. Packing and Documents	22.1 The supplier shall pack the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract.
23. Insurance	23.1 Unless otherwise specified in the Contract Data, the Goods supplied under the Contract shall be fully insured against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery.
24. Transportation	24.1 Unless otherwise specified in the Contract Data, responsibility for arranging transportation of the Goods shall be a responsibility of the supplier.
25. Inspections and Tests	<p>25.1 The Supplier shall at its own expense and at no cost to the purchaser carry out all such tests and/or inspections of the Goods and Related Services as are specified in the Contract Data.</p> <p>25.2 The inspections and tests may be conducted on the premises of the Supplier or its Subcontractor, at point of delivery, and/or at the Goods' final destination, or on another place as specified in the Contract Data. Subject to CC sub-Clause 25.3, if conducted on the premises of the supplier or its Subcontractor, all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the purchaser.</p> <p>25.3 The Purchaser or its designated representative shall be entitled to attend the tests and/or inspections referred to in CC sub-Clause 25.2, provided that the purchaser bear all of its own costs and expenses incurred in connection with such attendance including, but not limited to, all traveling and board and lodging expenses.</p> <p>25.4 Whenever the supplier is ready to carry out any such test and inspection, it shall give a reasonable advance notice, including the place and time, to the purchaser. The supplier shall obtain from any relevant third party or manufacturer any necessary permission or consent to enable the purchaser or its designated representative to attend the test and/or inspection.</p>

	<p>25.5 The purchaser may require the Supplier to carry out any test and/or inspection not required by the Contract but deemed necessary to verify that the characteristics and performance of the Goods comply with the technical specifications codes and standards under the contract, provided that the supplier's reasonable costs and expenses incurred in the carrying out of such test and/or inspection shall be added to the Contract price.</p> <p>25.6 The supplier shall provide the purchaser with a report of the results of any such test and/or inspection.</p> <p>25.7 The purchaser may reject any Goods or any part thereof that fail to pass any test and/or inspection or do not conform to the specifications. The Supplier shall either rectify or replace such rejected Goods or parts thereof or make alterations necessary to meet the specifications at no cost to the purchaser, and shall repeat the test and /or inspection, at no cost to the purchaser, upon giving a notice pursuant to CC sub- clause 25.4</p> <p>25.8 The Supplier agrees that neither the execution of a test and/or inspection of the Goods or any part thereof, nor the attendance by the purchaser or its representative, nor the issue of any report pursuant to CC sub- Clause 25.6 shall release the supplier from any warranties or other obligations under the contract.</p>
<p>26. Liquidated Damages</p>	<p>26.1 Except as provide under CC clause 31, if the Supplier fails to deliver any or all of the Goods by the Date(s) of delivery or perform the Related Services within the period specified in the Contract, the purchaser may without prejudice to all its other Contact, the Purchaser may without prejudice to all its other remedies under the Contract, deduct from the Contract price, as liquidated damages, a sum equivalent to the percentage specified in the Contract Data of the delivered price of the delayed Goods or unperformed Services for each week or part thereof of delay of delay until actual delivery or performance, up to a 58 Section VII, General Condition of Contract maximum deduction of the percentage specified in those Contract Data. Once the maximum is reached, the Purchaser may terminate the Contract pursuant to CC Clause 34.</p>
<p>27. Warranty</p>	<p>27.1 The Supplier warrants that all the Goods are new, unused, and of the most recent or current models, and that the incorporate all recent improvements in design and</p>

	<p>materials, unless provided otherwise in the contract.</p> <p>27.2 Subject to CC Sub- Clause 21.1(b0 the Supplier further warrants that the Goods shall be free from defects arising from any act or omission of the Supplier or arising from design, materials, and workmanship, under normal use in the condition prevailing in the country of final destination.</p> <p>27.3 Unless otherwise specified in the Contract Data, the warranty shall remain valid for twelve (12) months after the Goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the Contract Data.</p> <p>27.4 The Purchaser shall give notice to the Supplier stating the nature of any such defects together with all available evidence thereof, promptly following the discovery thereof. The Purchaser shall afford all reasonable opportunity for the Supplier to inspect such defects.</p> <p>27.5 Upon receipt of such notice, the supplier shall, within the period specified in the Contract Data, expeditiously repair or replace the defective Goods or parts thereof, at no cost to the Purchaser.</p> <p>27.6 If having been notified, the Supplier fails to remedy the defect within the period specified in the Contract Data, the Purchaser may proceed to take within a reasonable period such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the Contract</p>
<p>28.Patent Indemnity</p>	<p>28.1 The Supplier shall, subject to the Purchaser's Compliance with CC Sub-clause 28.2, indemnify and hold harmless the purchaser and its employees and officers from and against any and all suits, actions or administrative proceedings, claims, demands, losses, damages, cost, and expense of any nature, including attorney's fees and expenses, which the purchaser may suffer as a result of any infringement or alleged infringement of any patent, utility model, registered design, trademark, copyright, or other intellectual property right registered or otherwise existing at the date of the contract by reason of:</p> <p>(a) The installation of the Goods by the Supplier or the use of the Goods in the country where the site is located; and</p> <p>(b) The sale in any country of the products produced by the Goods. Such indemnity shall not cover any use of the</p>

	<p>Goods or any part thereof other than for the purpose indicated by or to be reasonably inferred from the contract, neither any infringement resulting from the use of the goods or any part thereof, or any products produced thereby in association or combination with any other equipment, plant, or materials not supplied by the supplier, pursuant to the Contract.</p> <p>28.2 If any proceedings are brought or any claim is made against the purchaser arising out of the matters referred to in CC Sub-Clause 28.1, the purchaser shall promptly give the supplier a notice thereof, and the supplier may at its own expense and in the Purchaser's name conduct such proceedings or claim and any negotiations for the settlement of any such proceedings or claim.</p> <p>28.3 If the Supplier fails to notify the Purchaser within twenty eight (28) days after receipt of such notice that it intends to conduct any such proceedings or claim, then the Purchaser shall be free to conduct the same on its own behalf.</p> <p>28.4 The Purchaser shall, at the Supplier's request, afford all available assistance to the Supplier in conducting such proceedings or claim, and shall be reimbursed by the Supplier for all reasonable expenses incurred in so doing.</p> <p>28.5 The Purchaser shall indemnify and hold harmless the Supplier and its employees, offices, and Subcontractors from and against any and all suits, actions or administrative proceedings, claims, demands, losses, damages costs, and expenses of any nature, including attorney's fees and expenses, which the supplier may suffer as a result of any infringement or alleged infringement of any patent, utility model, registered design, trademark, copyright, or other intellectual property right registered or otherwise existing at the date of the Contract arising out of or in connection with any design, data, drawing, specification, or other documents or materials provided or designed by or on behalf of the purchaser</p>
<p>29. Limitation of Liability</p>	<p>29.1 Except in cases of criminal negligence or willful misconduct,</p> <p>(a) The supplier shall not be liable to the Purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of</p>

	<p>production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the Supplier to pay liquidated damages to the Purchaser and</p> <p>(b) The aggregate liability of the Supplier to the Purchaser, whether under the Contract, in tort or otherwise, shall not exceed the total Contract Price, provided that limitation shall not apply to the cost of repairing or replacing defective equipment, or to any obligation of the supplier to indemnify the purchase with respect to patent infringement.</p>
30. Change in laws and regulations	<p>30.1 I unless otherwise specified in the Contract, if after the date of 28 days prior to date of Bid submission, any law, regulation, ordinance, order to bylaw having the force of law is enacted, promulgated, abrogated, or changed in Sri Lanka that sub subsequently affects the Delivery Date and/or contract price shall be correspondingly increased or decreased, to the extent that her supplier has thereby been affected in the performance of any of its obligations under the contract. Notwithstanding the foregoing, such additional or reduced cost shall not ne separately paid or credited if the same has already been accounted for in the price adjustment provisions where applicable, in accordance with CC Clause 14.</p>
31. Force Majeure	<p>31.1 The Supplier shall not be liable for forfeiture of its performance security, liquidated damages, or termination or default if and to the extent that is' obligations under the contract is the result of an event of Force Majeure.</p> <p>31.2 For purposes of this clause, "Force Majeure" means an event or situation beyond the control of the Supplier that is not foreseeable, is unavoidable, and its origin is not due to negligence or lack of care on the part of the Supplier. Such events may include, but not be limited to, acts of the</p> <p>Purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.</p> <p>31.3 If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the Purchaser in writing, the supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.</p>
32. Change orders and Contract Amendments	<p>32.1 The Purchaser may at any time order the Supplier through notice in accordance CC Clause 8, to make changes within the general scope of the Contract in any one or more of the following:</p>

	<p>(a) drawings, designs, or specifications, where Goods to be furnished under the Contract are to be specifically manufactured for the Purchaser;</p> <p>(b) the method of shipment or packing;</p> <p>(c) the place of delivery; and</p> <p>(d) The Related Services to be provided by the wsupplier.32.2 If any such change causes and increase or decrease in the cost of, or the time required for, the Supplier's performance of any provisions under the Contract, an equitable adjustment shall be made in the Contract Price or in the delivery/Completion Schedule, or both, and the Contract shall accordingly be amended. Any claims by the Supplier for adjustment under this clause must be asserted within twenty-eight (28) days from the date of the Supplier's receipt of the Purchaser's change order.</p> <p>32.2 Prices to be charged by the Supplier for any Related Services that might be needed but which were not included in the Contract shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p> <p>32.3 Subject to the above, no variation in or modification of the terms of the Contract shall be made except by written amendment signed by the parties.</p>
<p>33. Extensions of Time</p>	<p>33.1 If at any time during performance of the Contract, the Supplier or its subcontractors should encounter conditions impeding timely delivery of the Goods or completion of Related Services pursuant to CC Clause 121 the supplier shall promptly notify the Purchaser in writing of the Delay, its likely duration, and its cause. As soon as practicable after receipt of the Supplier's notice, the Purchaser in writing of the delay, its likely duration, and its cause. As soon as practicable after receipt of the Supplier's notice, the Purchaser shall evaluate the situation and may at its discretion extend the Supplier's time for performance, in which case the extension shall be ratified by the parties by amendment of the Contract.</p> <p>33.2 Except in case of Force Majeure, as provided under CC Clause 31, a delay by the Supplier in the performance of its Delivery and Completion obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to CC Clause 25, unless an extension of time is agreed upon, pursuant to CC Sub- Clause 33.1.</p>
<p>34. Termination</p>	<p>34.1 Termination for Default</p> <p>(a) The purchaser, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the Supplier, may terminate the Contract in whole or in part;</p> <p>(i) If the Supplier fails to deliver any or all of the Goods</p>

	<p>within the period specified in the Contract, or within any extension thereof granted by the purchaser pursuant to CC-Clause 33;</p> <p>(ii) If the supplier fails to perform any other obligation under the Contract; or</p> <p>(iii) If the Supplier, in the judgment of the purchaser has engaged in fraud and corruption, as defined in CC clause 3 in competing for or in executing the Contract.</p> <p>(b) In the event the purchaser terminates the Contract in whole or in part, pursuant to CC clause 34.1(a), the Purchaser may procure, upon such terms and in such manner as it deems appropriate, Goods or Related Services similar to those undelivered or not performed, and the supplier shall be liable to the Purchaser for any additional costs for such similar Goods or Related Services. However, the Supplier shall continue performance of the Contract to the extent not terminated</p> <p>34.2 Termination for Insolvency.</p> <p>(a) The Purchaser may at any time terminate the Contract by giving notice to the Supplier if the Supplier becomes bankrupt or otherwise insolvent. In such event, termination will be without compensation to the Supplier, Provided that such termination will not prejudice or affect any right of action or remedy that has accrued or will accrue thereafter to the Purchaser</p> <p>34.3 Termination for Convenience</p> <p>(a) The Purchaser, by notice sent to the Supplier, may terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the Purchaser's convenience, the extent to which performance of the Supplier under the Contract is terminated, and the date upon which such termination becomes effective.</p> <p>(b) The Goods that are complete and ready for shipment within twenty-eight (28) days after the supplier's receipt of notice of termination shall be accepted by the Purchaser at the Contract terms and prices. For the remaining Goods, the Purchaser may elect:</p> <p>(i) To have any portion completed and delivered at the Contract terms and prices; and/or</p> <p>(ii) To cancel the remainder and pay to the Supplier an amount for partially completed Goods and Related services and for materials and parts previously procured by the Supplier</p>
<p>35. Assignment</p>	<p>35.1 Neither the Purchaser nor the Supplier shall assign, in whole or in part, their obligations under this Contract, except with prior written consent of the other party.</p>

Section VIII

Contract Forms

1. Contract Agreement

THIS CONTRACT AGREEMENT is made

The [insert: number] day of [insert: month], [insert: year].

BETWEEN

(1) [Insert complete name of Purchaser], a [insert description of type of legal entity, for example, an agency of the Ministry of..... or corporation and having its principal place of business at [insert address of Purchase] (hereinafter called “the Purchaser”), and

(2) [Insert name of Supplier], a corporation incorporated under the laws of [insert: country of Supplier] and having its principal place of business at [insert: address of Supplier] (hereinafter called “the Supplier”).

WHEREAS the Purchaser invited bids for certain Goods and ancillary services, viz, [insert : brief description of Goods and Services] and has accepted a Bid by the Supplier for the supply of those Goods and Services in the sum of [insert Contract price in words and figures, expressed in the Contract currency (ies)] (hereinafter called “the Contract Price”).

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
2. The following documents shall constitute the Contract between the Purchaser and the Supplier, and each shall be read and construed as an integral part of the Contract:

(a) This Contract Agreement

(b) Contract Data

(c) Conditions of Contract

(d) Technical Requirement (including Schedule of Requirements and Technical Specifications)

(e) The Supplier’s Bid and original price Schedules

(f) The Purchaser’s Notification of Award

(g) [Add here any other documents(s)]

3. This Contract shall prevail over all other Contract documents. In the event of any discrepancy or inconsistency within the Contract documents, then the documents shall prevail in the order listed above.

4. In consideration of the payments to be made by the Purchaser to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Purchaser to provide the Goods and Services and to remedy defects therein in conformity in all respects with the provisions of the Contract.

5. The Purchaser hereby covenants to pay the Supplier in consideration of the provision of the Goods and Services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS whereof the parties hereto have this Agreement to be executed in accordance with the laws of Democratic Socialist Republic of Sri Lanka on the day, month and year indicated above.

For and on behalf of the Purchaser

Signed: [insert signature]

in the capacity of [insert title or other appropriate designation]

in the presence of [insert identification of official witness]

For and on behalf of the Supplier

Signed: [insert signature of authorized representative(s) of the Supplier]

in the capacity of [insert title or other appropriate designation]

in the presence of [insert identification of official witness]

2. Performance Security

[The issuing agency, as requested by the successful Bidder, shall fill in this form in accordance with the instructions indicated] ----- [Issuing Agency's Name, and Address of Issuing Branch of Office] ----- * Beneficiary: ----- [Name and Address of Employer] -----

Date: -----

PERFORMANCE GUARANTEE No: -----

We have been informed that ----- [name of Supplier] (hereinafter called "the Supplier") has entered into Contract No. ----- [Reference number of the contract] dated ----- with you, for the ----- Supply of ----- [name of contract and brief description]

Furthermore, we understand that, according to the conditions of the Contract, a performance guarantee is required. At the request of the Supplier, we ----- [name of Agency] hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of ----- [amount in figures] (-----) [amount in words], such sum being payable in the types and proportions of currencies in which the Contract Price is payable, upon receipt by us of your first demand in writing accompanied by a written statement stating that the Contractor is in breach of its obligation (s) under the Contract, without your needing to prove or to show grounds for your demand or the sum specified therein. This guarantee shall expire, no later than the day of , 20 [insert date, 28 days beyond the scheduled completion date including the warranty period] and any demand for payment under it must be received by us at this office on or before that date.

[signature (s)]

3. Guarantee for Advance Payment

[The issuing agency, as requested by the successful Bidder, shall fill in this form in accordance with the instructions indicated.]

Date: [insert date (as day, month and year) of Bid Submission] ICB No. and title: [insert number and title of bidding process] [issuing agency's letterhead] Beneficiary: [insert legal name and address of Purchaser]

ADVANCE PAYMENT GURANTEE No: [insert Advance payment Guarantee no.]

We, [insert legal name and address of issuing agency], have been informed that [insert complete name and address of Supplier] (hereinafter called "the Supplier") has entered into Contract No. [insert number] dated [insert date of Agreement] with you, for the supply of [insert types of Goods to be delivered] (hereinafter called "the Contract")

Furthermore, we understand that, according to the conditions of the Contract, an advance is to be made against an advance payment guarantee.

At the request of the Supplier, we hereby irrevocably undertake to pay you any sum of sums not exceeding in total an amount of [insert amount(s) in figures and words] upon receipt by us of your first demand in writing declaring that the Supplier is in breach of its obligation under the Contract because the Supplier used the advance payment for purposes other than toward delivery of the Goods. It is a condition for any claim and payment under this Guarantee to be made that the advance payment referred to above must have been received by the Supplier on its account [insert number and domicile of the account]

This Guarantee shall remain valid and in full effect from the date of the advance payment received by the Supplier under the Contract until [insert date].

[Signature of authorized representative(s) of the issuing agency]

Section II Bidding Data Sheet (BDS)

The following specific data for the goods to be procured shall complement, supplement or amend the provisions in the Instructions to Bidders (ITB). Whenever there is a conflict, the provisions herein shall prevail over those in ITB.

[Instructions for completing the Bid Data Sheet are provided, as needed, in the relevant ITB Clauses.]

Clause Reference	A. General
ITB 1.1	The Purchaser is: Uva Wellassa University
ITB 1.1	The name and identification number of the Contract is Supply, Delivery, Installation and Commissioning of Laboratory Equipment for Faculty of Medicine, Uva Wellassa University
ITB 2.1	The source of funding is: GOSL
ITB 4.4	Foreign bidders are allowed to participate in bidding: Not allowed
	B. Contents of Bidding Documents
ITB 7.1	For Clarification of bid purposes only, the Purchaser's address is: Attention: Deputy Bursar/ Supplies & Stores Address: Uva Wellassa University, Passara Road, Badulla. Telephone: 055-2226475 E-mail : supply@uwu.ac.lk
	C. Preparation of Bids
ITB 11.1 (e)	The Bidder shall submit the following additional documents: A complete company profile of the bidders including, but not limited to, the following: <ul style="list-style-type: none"> • Business Registration Certificate • VAT Registration and VAT Clearance Certificate • List of client who use the Products and their contract details • Past 3 years relevant experience in the relevant Industry in Sri Lanka (The bidder should have at least three years of experience in the relevant industry in Sri Lanka and should submit documents to prove experience in the industry.) • Manufacturer's Authorization. • Certificate of Registration under Public Contract Act. • Financial statements for last 3 years
ITB 15.1	The bidder shall quote the local expenditure in Sri Lankan Rupees.
ITB 18.1 (b)	After sales service is: Required
ITB 19.1	The bid shall be valid for : 90 days from 19 th September 2023
ITB 20.1	Bid shall include a Bid Security in any of following ways (a) A Bank guarantee issued by a reputed bank operated in Sri Lanka. (b) Cash deposit at the Shroff Counter of the University (c) Cash deposit from any branch of Bank of Ceylon, to the Uva Wellassa

	University, Account No: 3114820, and the customer copy of the cash receipt/deposit slip to be attached with the bidding documents.	
ITB 20.2	The amount of the Bid Security shall be: As per the advertisement Beneficiary: Vice Chancellor, Uva Wellassa University. The validity period of the bid security shall be 120 days from the closing date of the Bid	
	D. Submission and Opening of Bids	
ITB 22.2 (c)	The inner and outer envelopes shall bear the following identification marks: Supply, Delivery, Installation and Commissioning of Laboratory Equipment for Faculty of Medicine, Uva Wellassa University	
ITB 23.1	For bid submission purposes, the Purchaser's address is:	
	Attention	: Deputy Bursar/Stores & Supplies
	Address	: Uva Wellassa University, Passara Road, Badulla.
	The deadline for the submission of bids is	
	Date	: 19.09.2023
	Time	: 2.30 p.m.
ITB 26.1	The bid opening shall take place at:	
	Address	: Senate Boardroom, Uva Wellassa University, Passara Road, Badulla.
	Date	: 19.09.2023
	Time	: 2.30 p.m.
	E. Evaluation and Comparison of Bids	
ITB 34.1	Domestic preference shall not be a bid evaluation factor.	
ITB 35.3(d)	The adjustments shall be determined using the following criteria, from amongst those set out in Section III, Evaluation and Qualification Criteria: (a) Deviation in Delivery schedule: Option 2 _Please refer - CC 26.1 (b) Deviation in payment schedule: Not applicable (c) The cost of major replacement components, mandatory spare parts, and service: Applicable	
ITB 35.4	The following factors and methodology will be used for evaluation: The Certificate from a Chartered Electrical Engineer should be produced after the installation	
ITB 35.5	Bidders shall be allowed to quote for one or more package. [refer to Section III Evaluation and Qualification Criteria]Purchaser will evaluate the bid item by item basis.	

Section III Evaluation and Qualification Criteria

1. Evaluation Criteria [ITB 35.3 (d)]

The Purchaser's evaluation of a bid may take into account, in addition to the Bid price quoted in accordance with ITB Clause 14, one or more of the following factors as specified in ITB Sub-Clause 35.3 (d) and in BDS referring to ITB 35.3(d), using the following criteria and methodologies.

(a) Delivery schedule

Option 2

The goods covered under this invitation are required to be delivered within an acceptable range of weeks specified in the Schedule of Requirement. No credit will be given to earlier deliveries, and bids offering delivery beyond this range will be treated as nonresponsive. Within this acceptable range, an adjustment per week, as specified in the Bid Data Sheet, will be added for evaluation purposes only, to the bid price of bids offering deliveries later than the earliest delivery period specified in the Section V, Schedule of Requirements

(a) Deviation in payment schedule. **Not applicable**

(b) Cost of major replacement components, mandatory spare parts, and service: **Not applicable**

(c) Specific additional criteria: **None**

2. Evaluation Criteria (ITB 35.4)

3. Multiple Contracts (ITB 35.5)

The Purchaser shall award multiple contracts to the Bidder that offers the lowest evaluated combination of bids (one contract per bid) and meets the post-qualification criteria (this Section III, Sub-Section ITB 37.2 Post-Qualification Requirements)

The Purchaser shall:

(a) Evaluate only package or item contracts that include items per lot and quantity per item

(b) Take into account: The lowest-evaluated bid for each lot or item

4. Post qualification Requirements (ITB 37.2)

After determining the lowest-evaluated bid in accordance with ITB Sub-Clause 36.1, the Purchaser shall carry out the post qualification of the Bidder in accordance with ITB Clause 37, using only the

requirements specified. Requirements not included in the text below shall not be used in the evaluation of the Bidder's qualification.

Qualification Criteria:

(a) Bid may be submitted by any reputed supplier of registered business in Sri Lanka or any accredited local agent who takes fullest responsibility for the whole bid. The local agent shall submit evidence of status, obligations, power of attorney and any other documentary evidence that he is duly authorized and eligible to bid on behalf of the manufacturer.

(b) The bidders should also have previous experience of at least three years in relevant industry in the supply and also technical and financial capability necessary to perform the contract.

(c) Bids will be rejected as non- responsive if documentary evidence in proof of above has not been provided.

(d) If an Agent submits bids on behalf of more than one supplier, unless each such bid is accompanied by a separate Bid Form for each bid, and security when required for each bid, and authorization from the respective Manufacturer, and valid vendor certificate, all such bids will be rejected as non-responsive.

(e) Bidders should possess the Certificate of Business Registration issued by a Governmental Authority/ Registrar of Companies/ Provincial Registrar of Business in the relevant category.

(f) Bidders offering goods under their own brand names should provide along with their bids a current certification/s of quality; Bid not complying with this requirement may be treated as non- responsive.

5. Domestic Preference (ITB 34.1) – **Applicable to Ministry of Finance, Public Finance
Circular No. 03/2020**

Section IV
Bidding Forms

Bid Submission Form.

[The Bidder shall fill in this Form in accordance with the instructions indicated no alterations to I format shall be permitted and so substitutions shall be accepted.]

Date:

No:

To: **Uva Wellassa University of Sri Lanka**

We, the undersigned, declare that:

- (a) We have examined and have no reservations to the Bidding Documents, including Addenda No:
- (b) We offer to supply in conformity with the Bidding Documents and in accordance with the Delivery Schedules specified in the Schedule of Requirements the following Goods and Related Service Procure of
- (c) The total price of our Bid without VAT, including any discounts offered is:
- (d) The total price of our Bid including VAT, and any discounts offered is:
- (e) Our bid shall be valid for the period of time specified in ITB sub-Clause 19.1, form the date fixed for the bid submission deadline in accordance with ITB Sub-Clause 23.1, and it shall remain biding upon us and may be accepted at any time before the expiration of that period;
- (f) If our bid is accepted, we commit to obtain a performance security in accordance with ITB Clause 43 and CC Clause 17 for the due performance of the Contract;
- (g) We have no conflict of interest in accordance with ITB Sub-Clause 4.3;
- (h) Our firm, its affiliates or subsidiaries- including any subcontractors or suppliers for any part of the contract-has not been declared blacklisted by the National Procurement Agency;

(i) We understand that bid, together with your written acceptance thereof include in your notification of award, shall constitute a binding contract between us, until a formal contract is prepared and executed.

(j) We understand that you are not bound to accept the lowest evaluated bid or any other bid that you may receive.

Signed:

In the capacity of

Name:

Duly authorized to sign the bid for and on behalf of:

Dated on ----- day of -----

Price Schedule

Type	No	Description of the item & item Code	1	2	3	4	5	6
			Qty (Nos)	Unit Rate (Rs)	VAT(Rs)	Unit Price With VAT(2+3) (Rs)	Total Without VAT (Rs) (1*2)	Total With VAT (Rs) (1*4)
Package 01	1	Auto clave (Bench top)	2					
	2	Digital Top loading balance	2					
	3	Analytical balance	1					
	4	Bunsen Burners	20					
	5	Centrifuge machine (15ml and 50ml Tubes)	1					
	6	Centrifuge machine – Eppendorf (micro-centrifuge) tubes	1					
	7	Cyclo/ Vortex mixer	2					
	8	Distillation water plant	1					
	9	Magnetic stirrers With hot plate	3					
	10	(2-20) µl Micro pipettes	5					
	11	(20-200) µl Micro pipettes	5					

	12	(100-1000) µl Micro pipettes	5					
	13	(0.5-10) µl Micro pipettes	2					
	14	Hot Air Oven	2					
	15	pH meter(Bench Top)	3					
	16	Double beam Spectrophotometer (UV/Visible) with 5 cuvettes	1					
	17	Water bath (Boiling)	1					
	18	Vacuumed Pump	2					
	19	Heating Mantle 500ml	1					
	20	Heating Mantle 1000ml	1					
	21	Urine Strip Reader	1					
Package 02	22	Refrigerator(standard) for chemicals and reagent storing	2					
	23	Freezer (small)	1					
Package 03	24	Centrifuge - Micro-hematocrit centrifuge	1					
	25	Centrifuge - Ordinary electric	1					
	26	Micro-hematocrit reader	5					

	27	Glucometer with strips	2					
	28	Micropipette (1µl – 10µl) + 100 Pipette Tips	2					
	29	Micropipette (10µl – 100µl) + 100 Pipette Tips	2					
	30	Micropipette (1µl – 1000µl) + 100 Pipette Tips	2					
	31	Neubauer counting chamber	3					
	32	Cover slips for counting chamber	10					
	33	Digital Stirred Stainless Steel Water Bath	4					
	34	Weighing Scales	2					
	35	Urino Meter with Thermometer	3					
	36	Osmo-meter	1					
Package 04	37	Handheld Dynamometer	1					
	38	Spirometer	1					
	39	Stadiometer	2					
	40	Bicycle Ergo meter	2					
	41	Peak flow meter + Disposable mouth pieces	2					

Package 05	42	EMG- ENG with ability to perform visual and auditory Evoke Potentials	1					
	43	ECG Recorder	1					
Package 06	44	Audio meter	1					
	45	Ophthalmoscope	2					
	46	Oroscope	1					
Package 07	47	BP (Sphygmomanometer) – Mercury	10					
	48	BP (Sphygmomanometer) - Non- Mercury	5					
	49	BP sphygmomanometer – aneroid	1					
	50	Stethoscope	10					
	51	Knee hammer	5					
	52	Tuning fork set (128Hz, 256Hz & 512Hz)	3					
	53	Nylon monofilament set for sensory testing	1					
Package 08	54	Patient Bed	2					
Package 09	55	Light Microscope (Binocular)	5					

*Use separate price schedule for options

.....

Signature and seal of the Bidder Date

Total price without Taxes (in SLR):

Total price without Taxes (in Words):

Vat Registration No:

Total price with VAT:

Total price with VAT (in Words):

Maintenance charges as a percentage after the warranty period:

Name of the Authorized persons:

Signature of the Authorized persons:

Date:

Note : Calibration certificate should be provide on request & ISO 9001

Bid Guarantee

[This Bank Guarantee form shall be filled in accordance with the instructions indicated in brackets] -----
[insert issuing agency's name, and address of issuing branch or office] ----- Beneficiary: ----- [name (by
issuing agency) number] We have been informed that ----- [insert (by issuing agency) name of the Bidder; if a
joint venture, list complete legal names of partners] (hereinafter called "the Bidder") has submitted to you its bid
dated -----[insert (by issuing agency) date] (hereinafter called "the Bid") for the supply of [insert name of
Supplier] under Invitation for Bids No. ----- [insert IFB number (:the IFB)].

Furthermore, we understand that, according to your conditions, Bids must be supported by a Bid Guarantee.

At the request of the Bidder, we ----- [insert name of issuing agency] hereby irrevocably undertake to pay
you any sum of sums not exceeding in total an amount of ----- [insert amount in figures] ----- [insert
amount in words]) upon receipt by us of your first demand in writing accompanied by a written statement stating
that the Bidder is in breach of its obligations(s) under the bid conditions, because the Bidder:

- (a) Has withdrawn its Bid during the period of bid validity specified; or
- (b) Does not accept the correction of errors in accordance with the Instructions to Bidders (hereinafter :the ITB"); or
- (c) having been notified of the acceptance of its Bid by the Purchaser during the period of bid validity, (i) fails or
refuses to execute the Contract Form, if required, or (ii) fails or refuses to furnish the Performance Security, in
accordance with the ITB.

This Guarantee shall expire: (a) if the Bidder is the successful bidder, upon our receipt of copies of the Contract
signed by the Bidder and of the Performance Security issued to you by the Bidder; or

(c) if the Bidder is not the successful bidder, upon the earlier of (i) our receipt of a copy of your notification to the
Bidder that the Bidder was unsuccessful, otherwise it will remain in force up to ----- (insert date) Consequently,
any demand for payment under this Guarantee must be received by us at the office on or before that date. -----

----- signature(s) of authorized representative(s)]

Manufacturer's Authorization

[The Bidder shall require the Manufacturer to fill this Form in accordance with the instructions indicated. This letter of authorization should be on the letterhead of the Manufacturer and should be signed by a person with the proper authority to sign documents that are binding on the Manufacturer. The Bidder shall include it in its bid, if so indicated in the BDS.]

Date: [insert date (as day, month and year) of Bid Submission]

No: [insert number of bidding process]

To: [insert complete name of purchaser]

WHEREAS

We [insert complete name of Manufacturer], who are official manufacturers of [insert type of goods manufactured], having factories at [insert full address of Manufacturer's factories], do hereby authorize [insert complete name of Bidder] to submit a bid the purpose of which is to provide the following Goods, manufactured by us [insert name and or brief description of the Goods], and to subsequently negotiate and sign the Contract.

We hereby extend our full guarantee and warranty in accordance with Clause 27 of the Conditions of Contract, with respect to the Goods offered by the above firm.

Signed: [insert signature(s) of authorized representative(s) of the Manufacturer]

Name: [insert complete name(s) of authorized representative(s) of the Manufacturer]

Title: [insert title]

Duly authorized to sign this Authorization on behalf of: [insert complete name of Bidder]

Dated on day of, [insert date of signing]

Section V

Schedule of Requirements

1. List of Goods and Delivery Schedule

(The Purchaser shall fill in this table, with the exception of the column "Bidder's offered Delivery date" to be filled by the Bidder)

Item No	Description of Goods	Qty	Final Destination	Earliest Delivery Date	Latest Delivery Date	Bidder Offered Delivery Date
1	Autoclave (Bench top)	2	Faculty of Medicine, Uva Wellassa University of Sri Lanka	04 Weeks	06 Weeks	
2	Digital Top Loading Balance	2				
3	Analytical balance	1				
4	Bunsen Burners	20				
5	Centrifuge machine (15ml and 50ml Tubes)	1				
6	Centrifuge machine – eppendorf (micro-centrifuge) tubes	1				
7	Cyclo/ Vortex mixer	2				
8	Distillation water plant	1				
9	Magnetic stirrers With hot plate	3				
10	(2-20) µl Micro pipettes	5				
11	(20-200) µl Micro pipettes	5				
12	(100-1000) µl Micro pipettes	5				
13	(0.5-10) µl Micro pipettes	2				
14	Hot Air Oven	2				
15	pH meter(Bench Top)	3				
16	Double beam Spectrophotometer (UV/Visible) with 5 cuvettes	1				
17	Water bath (Boiling)	1				
18	Vacuomed Pump	2				

19	Heating Mantle 500ml	1				
20	Heating Mantle 1000ml	1				
21	Urine Strip Reader	1				
22	Refrigerator (standard) for chemicals and reagent storing	2				
23	Freezer (small)	1				
24	Centrifuge - Microhematocrit centrifuge	1				
25	Centrifuge - Ordinary electric	1				
26	Micro-hematocrit reader	5				
27	Glucometer with strips	2				
28	Micropipette (1 μ l – 10 μ l) + 100 Pipette Tips	2				
29	Micropipette (10 μ l – 100 μ l) +100 Pipette Tips	2				
30	Micropipette (1 μ l – 1000 μ l) + 100 Pipette Tips	2				
31	Neubauer counting chamber	3				
32	Cover slips for counting chamber	10				
33	Digital Stirred Stainless Steel Water Bath	4				
34	Weighing Scales	2				
35	Urino Meter with Thermometer	3				
36	Osmo-meter	1				
37	Handheld Dynamometer	1				
38	Spirometer	1				
39	Stadiometer	2				
40	Bicycle Ergo meter	2				
41	Peak flow meter + Disposable mouth pieces	2				
42	EMG- ENG with ability to perform visual and auditory	1				

	Evoke Potentials				
43	ECG Recorder	1			
44	Audio meter	1			
45	Ophthalmoscope	2			
46	Oroscope	1			
47	BP (Sphygmomanometer) – Mercury	10			
48	BP (Sphygmomanometer) - Non- Mercury	5			
49	BP sphygmomanometer – aneroid	1			
50	Stethoscope	10			
51	Knee hammer	5			
52	Tuning fork set (128Hz, 256Hz & 512Hz)	3			
53	Nylon monofilament set for sensory testing	1			
54	Patient Bed	2			
55	Light Microscope (Binocular)	5			

Technical Specifications

The bidder shall follow the following technical requirement and other requirement.

Type	No	Name of the Item	Qty	Requirement/Specifications	Bidders Conformity			
					Yes	No	Remarks	
Package 01	1	Autoclave (Bench top)	2	1	Manual adjustable exhaust valve for liquid sterilization			
				2	Sterilizer should be made by stainless steel			
				3	The heater should be made of stainless steel			
				4	Sterilization temperature should be adjustable from 0-60 minutes			
				5	Automatic control cycle from heating-sterilization- time off			
				6	The entire sterilization process should be continuously monitored through microprocessor indicative system			
				7	The sterilization should start when the pressure/ temperature in the chamber arrives the set point			
				8	Chamber Dimensions Ø x L (mm)- 300 mm x 700 mm (or higher)			
				9	Chamber capacity- 50 L or higher			
				10	The unit shall operate on the power supply of 230V±10% 50 Hz single phases.			
				11	Operating temperature should be 105 °C to 130 °C or better			
				11	Safety device- Over heat (Low water) cut-off switch <ul style="list-style-type: none"> • Safety valve and release valve • Emergency exhaust valve • Door safety holder • Pressure protection switch • Temperature control system 			
				12	Standard accessories- stainless steel baskets, Exhaust hose should be provided with the autoclave			
13	After sales services: should have a good after sales service. Please attach details of after sales service personal,							

				their qualifications and address of the after sales division etc.			
			14	Letter of authority required from the manufacturer			
			15	Documentary evidence of requested specifications should be provided by making on manufacturer's literature			
			16	should contain at least 3 years acceptable working records including in Sri Lanka			
			17	The supplier shall produce valid NMRA certificate for the quoted model.			
	2	Digital Top Loading Balance	2	1	Capacity shall not be less than 1500 g		
2				Readability- 1 mg or better			
3				Repeatability- at least 1 mg			
4				Linearity- 2 mg			
5				Stabilization time- 3s or lesser			
6				External calibration function should be available			
7				Pan size- Not less than 120 mm			
8				Square draft shield with all glass panels including three sliding doors			
9				Front mounted level indicator for easy viewing			
10				The balance shall have RS-232 or other communication port			
11				Weigh below hook shall be available for density measurement			
12				The balance should have stability indicator			
13				Auto tare facility			
14				CE and ISO certificates should be available			
15				After sales services: should have a good after sales service. Please attach details of after sales service personal, their qualifications and address of the after sales division etc.			
16				Letter of authority required from the manufacturer			
17				Documentary evidence of requested specifications should be provided by			

				making on manufacturer's literature			
			18	should contain at least 3 years acceptable working records including in Sri Lanka			
3	Analytical balance	1	1	Capacity – 60-120 g (should be within the range)			
			2	Readability- at least 0.1 mg			
			3	Reproducibility- ± 0.1 mg			
			4	Linearity- at least ± 0.07 mg			
			5	Response time- 2s or lesser			
			6	Tare range- full to capacity			
			7	Allowable Ambient Operating Temperature within the range - 10° C to 35° C			
			8	Pan size- 85 mm or higher			
			9	Display should be LCD Backlit			
			10	Calibration- Internal Automatic			
			11	Selectable Application Programs- Counting, Weighing in percent, Density determination, Peak hold, Unstable condition, Check weighing, Mixing, Conversion, Statistics, Components			
			12	Sensitivity Drift (10° - 35°C)- ± 1.5 ppm / °C			
			13	Draft Shield Chamber Height (from pan to top of glass door)- 209 mm or higher			
			14	Interface- mini USB			
			15	Leveling- Manual with front level bubble with two front leveling feet			
			16	Balance should be featured with RS 232 or other output for directly connect to a printer			
			17	AC adapter should be provided with the balance			
			18	Electrical connection- 230V \pm 10% 50 Hz single phases			
			19	Housing Design- Aluminum Die-cast base with coated ABS top housing or equivalent for heavy duty usage			

			20	Interior and the exterior of the balance should be chemical resistance			
			21	After sales services: should have a good after sales service. Please attach details of after sales service personal, their qualifications and address of the after sales division etc.			
			22	Letter of authority required from the manufacturer			
			23	Documentary evidence of requested specifications should be provided by making on manufacturer's literature			
			24	Should be a world reputed brand and should contain at least 3 years acceptable working records including in Sri Lanka			
4	Bunsen Burners	20	1	With air regulation, perforated Head - 30mm x 185mm, made of nickel-plated brass, Product Catalogue and catalogue number should be available and requested specification should be stated in the catalog page. Catalogue page, catalogue number and picture of the item should be submitted with Quotation document supplied by the company. If it is failed to submit catalogue page, catalogue number and picture of the item, the bidder will be rejected.			
5	Centrifuge machine (15ml and 50ml Tubes)	1	1	The centrifuge should be a bench top model which driven through a brushless induction motor that functions on the power supply of 230V \pm 10%, 50Hz.			
			2	The unit should have a maximum capacity of not less than 400ml and should be supplied with swing out head with glass tubes to centrifuge at least 16 x 15 ml tubes in each load.			
			3	The unit with above rotor should be capable of giving Relative Centrifugal Force (RCF) of not less than 3,400g at approximately 4,450rpm.			
			4	Cost accessories to meet the following			

				requirements shall be quoted separately.																		
				<table border="1"> <thead> <tr> <th>Sample Capacity</th> <th>Test tube quantity (not less than)</th> <th>RPM (not less than)</th> </tr> </thead> <tbody> <tr> <td>5ml</td> <td>16 Nos.</td> <td>4,500</td> </tr> <tr> <td>15ml</td> <td>16 Nos.</td> <td>4,450</td> </tr> <tr> <td>50ml</td> <td>4 Nos.</td> <td>4,450</td> </tr> <tr> <td>100ml</td> <td>4 Nos.</td> <td>3,900</td> </tr> </tbody> </table>	Sample Capacity	Test tube quantity (not less than)	RPM (not less than)	5ml	16 Nos.	4,500	15ml	16 Nos.	4,450	50ml	4 Nos.	4,450	100ml	4 Nos.	3,900			
Sample Capacity	Test tube quantity (not less than)	RPM (not less than)																				
5ml	16 Nos.	4,500																				
15ml	16 Nos.	4,450																				
50ml	4 Nos.	4,450																				
100ml	4 Nos.	3,900																				
			5	The unit should be a microprocessor-controlled system with recall facility of last set parameters.																		
			6	There should be a 0–60-minute digital countdown timer with alphanumeric LCD display.																		
			7	The unit should be equipped with safety lid interlock to prevent cover opening during centrifugation & imbalance detector with cutoff. It also should have dynamic break for quick deceleration.																		
			8	The supplier should have at least 3years experience in maintaining such equipment preferably in government sector.																		
			9	The equipment shall be warranted for a period of not less than 12 calendar months from the date of successful commissioning on full "part & labour" basis. Such a warranty shall also include servicing and preventive maintenance during the period of validity																		
			10	The supplier shall produce valid NMRA certificate for the quoted model.																		
6	Centrifuge machine – eppendorf (micro-centrifuge) tubes	1	1	The centrifuge should be a bench top model which driven through a brushless induction motor that functions on the power supply of 230V ± 10%, 50Hz.																		
			2	The unit should be supplied with a suitable rotor head to centrifuge at least 24 Eppendorf tubes of capacity 1.5ml.																		

			3	The unit with above rotor should be capable of giving Relative Centrifugal Force (RCF) of not less than 12,000g at approximately 11,000rpm.			
			4	The unit should be a microprocessor-controlled system with recall facility of last set parameters.			
			5	There should be a 0–60-minute digital countdown timer with alphanumeric LCD display.			
			6	The unit should be equipped with safety lid interlock to prevent cover opening during centrifugation & imbalance detector with cutoff. It also should have dynamic break for quick deceleration.			
			7	The unit shall supply with the suitable adaptors of 1ml & 0.4ml.			
			8	The supplier should have at least 3years experience in maintaining such equipment preferably in government sector.			
			9	The equipment shall be warranted for a period of not less than 12 calendar months from the date of successful commissioning on full "part & labour" basis. Such a warranty shall also include servicing and preventive maintenance during the period of validity			
			10	The supplier shall produce valid NMRA certificate for the quoted model.			
7	Cyclo/ Vortex mixer	2	1	Usage: used commonly in laboratories to mix small vials of liquid Speed range: should be within 500 to 3000 rpm			
			2	Orbit: at least 4.9mm			
			3	Controls: 3-way power switch, LED display for time/speed, up/down keys for set-point control			
			4	Overall dimensions (L x W x H): at least 4.8 x 6.8 x 4.8"(12.2 x 17.3 x 12.2cm)			

			5	Continuous or touch modes			
			6	Microprocessor controls			
			7	LED display for speed and time			
			8	Letter of authority required from the manufacturer			
			9	Documentary evidence of requested specifications should be provided clearly by making on manufacturer's literature where necessary.			
			10	Suggesting item should be a at least 03 years satisfactory sales record including in Sri Lanka			
			11	Documentary evidence of requested specifications should be provided clearly by making on manufacturer's literature where necessary.			
8	Distillation water plant	1	1	The unit shall operate on the power supply of 230V±10% 50 Hz single phases			
			2	The water distiller shall be of glass type			
			3	The unit shall provide output at a rate of not less than 4 liters of distilled water per hour and the heater capacity shall be not less than 3 Kw.			
			4	There shall be an automatic reset overheat cut - out on the dry side of the element for easy descaling.			
			5	Each unit shall be supplied with a spare heating element and any accessories necessary (washers etc.) to connect it and a set of fast-moving spare parts.			
			6	The equipment shall be warranted for a period of not less than 12 calendar months from the date of successful commissioning on full "part & labour" basis. Such a warranty shall also include servicing and preventive maintenance during the period of validity			
			7	The supplier shall produce valid NMRA certificate for the quoted model.			

				1	Heating Magnetic Stirrer with ceramic heating Plate for assuring a high resistance to chemicals and mechanical corrosion			
				2	Microprocessor controlled feedback technology will provide precise temperature and speed control by assuring consistent performance			
				3	The built-in electronic system will keep the stirring speed constant, even when the viscosity of the liquid changes			
				4	Maximum protection against leakages will be assured with the elevated front panel and dedicated run-off groove			
				5	The control panel should be separated from the hot plate, this feature increases the safety rating during use and the durability of the instrument			
				6	Temperature should be from room temp. to 500 °C or better			
				7	Temperature sensor should be available to control solution temperature			
				8	Temperature regulator should be available with a knob			
				9	There shall be a digital LED temperature display for set temperature			
				10	Dimensions of the heating plate shall be 175x175 mm or better			
				11	Stirring should be up to 1500 rpm and speed regulation should be with a knob			
				12	Hot Plate Warning should be available whenever the top plate temperature is over 60 °C or better			
				13	Stirring capacity shall be up to 15 liters			
				14	Stirring system should be high-power driving magnet type system operated by a single phase motor for continuous operation			
				15	Protection rating should be IP 42			
				16	Power supply of 230V±10% 50 Hz single phases.			
				17	It should be supplied with 40 mm Magnetic Stirring Bar			
					Documentation			
9		Magnetic stirrers With hot plate	3					

			18	Manufacture product catalogs with requested information should be supplied			
			19	Manufacture authorization for the bidder to represent the given brand			
			20	User reference list should be attached			
			21	Bidder should have good aftersales facility with trained technicians and parts available locally to carry out any service/ repair immediately			
10	(2-20) μ l Micro pipettes	5	1	The pipette needs to be of Single Channel type with variable volume			
11	(20-200) μ l Micro pipettes	5	2	The unit Shall have a large volume display with a mechanism to ensure precision and accuracy of volume.			
12	(100-1000) μ l Micro pipettes	5	3	The unit shall have a fine adjustment ruler for superior accuracy and precision			
13	(0.5-10) μ l Micro pipettes	2	4	The construction material of the pipette needs to be resistant to the following Moisture, UV Light, Reagents			
			5	The design should be user friendly & should be able to avoid Repetitive Strain Injuries.			
			6	Should be designed to place a personal ID tag.			
			7	The pipette shall have a mechanism to counter unintentional volume changes.			
			8	The tip cone should be autoclavable for better protection of the sample.			
			9	The supplier should quote the unit prices of the following variable volume type pipettes.			
				General Conditions			
			12	The equipment should be covered by a comprehensive "Parts & Labour" warranty for the period of not less than 12 calendar months from the date of successful Installation & commissioning. Such a warranty should also include servicing and at least 4 preventive maintenances per			

				year during the period of validity.			
			13	Bidder shall furnish the documentary evidence to demonstrate that the good it offers meet the following usage requirement.			
			14	a. ISO certificate for good manufacturing practice			
			15	b. CE Certificate			
			16	c. Shall conform to relevant ICG safety standers & other international regulatory standers.			
14	Hot Air Oven	2	1	The unit shall operate on a power supply of 230V \pm 10%, 50Hz & it should have a microprocessor-based control system that has forced air convection by fan to ensure effective thermal distribution.			
			2	The unit shall be suitable for drying and sterilizing in laboratories with a mechanism to adjust fresh air inlet port to control the amount of convective air.			
			3	It should be double wall construction for durability and heat retention. And there should be a heavy-gauge glass fiber insulation to prevent the heat loss.			
			4	The chamber capacity should be at least 70 liters & the height of stainless-steel wire-rod shelf is adjustable in order to meet the sample dimension.			
			5	Instrument should ensure scratch free and corrosion free from a quality surface treated powder coating.			
			6	The Temperature display should be LED digital and ambient temperature range should be within +5°C to 250°C.			
			7	There should be a LED digital display for Power, Heating, Alarm to easy investigation.			
			8	The temperature uniformity should be $\pm 3^{\circ}\text{C}$ at 180°C and the temperature stability should be $\pm 0.1^{\circ}\text{C}$ at 180 °C .			
			9	Unit should equip with over temperature alarm and shutout device to 10°C above the set point.			

			10	The unit shall have certifications such as ISO, FDA or CE, and GMP			
			11	The supplier should have at least 3years experience in maintaining such equipment preferably in government sector.			
			12	The equipment shall be warranted for a period of not less than 12 calendar months from the date of successful commissioning on full "part &labour" basis. Such a warranty shall also include servicing and preventive maintenance during the period of validity			
15	pH meter (Bench top)	3		Meter should be water resistant to IP 67 standard			
				It should have a LCD display with backlight			
			1	It should have automatic temperature compensation facility and automatic buffer recognition facility with pH 2.01, 4.01, 7.00, 9.21 and 10.01 buffers			
			2	The unit shall operate on the power supply of 230V±10% 50 Hz single phases.			
			3	Power adapter should be also provided to operate the meter using AC electricity			
			4	It should have gel filled pH glass combination electrode			
			5	Meter should read parameters pH, mV and temperature			
			6	Electrode cable length should be at least 1 meter			
			7	Electrode stand, universal power adapter, literature CD, printed quick start guide, computer interface cable and meter test certificate should also be provided with the meter			
			8	Please attach details of after sales service personal, their qualifications and address of the after sales division etc.			
			9	Letter of authority required from the			

				manufacturer			
			10	Documentary evidence of requested specifications should be provided by making on manufacturer's literature			
			11	Should be a world reputed brand and should contain at least 3 years acceptable working records including in Sri Lanka			
			12	pH			
			13	Range (pH) - 0-14 pH			
			14	Resolution (pH)- 0.01 or better			
			15	Accuracy (pH) ± 0.002 pH or better			
			16	Temperature			
			17	Range (Temperature) - 0 to 100° C			
			18	Resolution (Temperature) 0.1°C or better			
			19	Accuracy (Temperature) ± 0.1 °C or better			
			20	mV			
			21	Range (mV) ± 2000.0 mV			
			26	Resolution (mV) 0.1mV			
			27	Accuracy (mV) ± 0.2 mV			
			28	Compliance- Meter should comply with CE standard			
			29	After sales services: should have a good after sales service. Please attach details of after sales service personal, their qualifications and address of the after sales division etc.			
			30	Letter of authority required from the manufacturer			
			31	Documentary evidence of requested specifications should be provided by making on manufacturer's literature			
			32	Should be a world reputed brand and should contain at least 3 years acceptable working records including in Sri Lanka			
			33	The proposed model should be recently introduced to the market			
16	Double beam Spectroph	1	1	Optics-Turner, Dual Beam Monochromator			
			2	Wavelength Range 190 nm-1100 nm			

				3	Spectral Bandwidth Minimum 0.5 nm			
				4	Stray Light $\leq 0.10\%$			
				5	Wavelength Accuracy ± 0.1 nm			
				6	Wavelength Repeatability ± 0.1 nm			
				7	Photometric Range Absorbance: -3.4 to +3.4			
				8	Photometric Accuracy ± 0.002 Abs (0 - 0.5 Abs), ± 0.004 Abs (0.5 - 1.0 Abs), ± 0.008 Abs (1.0 - 2.0 Abs), $\pm 0.3\%$ T			
				9	Photometric Reproducibility ± 0.0003 Abs (0-0.5 Abs), ± 0.0005 Abs (0.5-1 Abs), ± 0.001 Abs (1.0-2 Abs)			
				10	Wavelength Scan Speed Maximum 6000 nm/min			
				11	RMS Noise ≤ 0.00003 Abs (0 Abs, 500nm)			
				12	Baseline Stability 0.0002 Abs/hr			
				13	Baseline Flatness ± 0.0006 Abs			
				14	Light Source Tungsten-Halogen and Deuterium Lamp			
				15	Light Source Switching Automatic switching selectable for 325 nm - 370 nm rang			
				16	Detector Silicon Photodiode or equivalent			
				17	Display 7" Touchscreen or higher			
				18	Software Touchscreen operation, PC controlled software or CFR compliant PC-controlled software			
				19	Dimensions 500 mm (W) \times 475 mm (D) \times 250 mm (H) or equivalent			
				20	Operating Temperature 10°C - 35°C			
				21	Time scan : kinetic measurements for time period ranging from 1 minute to >27 hours			
17	Water bath (Boiling)	1	1		Should be equipped with immersion heating element sheathed with stainless steel.			
			2		Low-cost model with $\pm 0.2^\circ\text{C}$ or better stability and uniformity of $\pm 0.01^\circ\text{C}$, or better also precision thermostat			

				ON/OFF control.			
			3	It should be available with analog temperature settings and functioning mercurial thermometer with a thermostatic temperature with 5°C above ambient to 100°C.			
			4	Capacity : 20 L or higher			
			5	Power Supply : 230 V			
			6	Should be supplied with stainless steel Lid & 02 Nos. stainless-steel test-tube racks for 18 mm x 20 tubes.			
			7	The equipment shall be warranted for a period of not less than 12 calendar months from the date of successful commissioning on full "part & labour" basis. Such a warranty shall also include servicing and preventive maintenance during the period of validity			
18	Vacuumed Pump	2	1	Type Diaphragm Vacuum Pumps Max Flow Rate 0-75 lpm Usage/Application Laboratory Cooling Method Air cooled Automation Grade Semi-Automatic			
19	Heating Mantle 500ml	1	1	Heating element - Nichrome wire			
			2	Capacity(ml)- 500ml			
			3	Surface Max. Temp.(°C)-450°C			
			4	One Year Comprehensive - Warranty Period			
20	Heating Mantle 1000ml	1	1	Heating element - Nichrome wire			
			2	Capacity(ml)- 1000ml			
			3	Surface Max. Temp.(°C)-450°C			
			4	One Year Comprehensive - Warranty Period			
21	Urine Strip Reader	1	1	The unit shall operate on the power supply of 230+10% 50 Hz single phase.			
			2	The unit shall have the capability of testing following parameters using a single strip. Urobilinogen, Bilirubin, Ketone, blood, Protein, Nitrite, Leukocytes, glucose, Specific gravity, pH, Ascorbic acid, Creatinine, Micro Albumin, Calcium			

				3	The Vitamin C shall not interfere the estimation of chemical parameters.			
				4	Test Principle: Photoelectric Colorimetric and the Test Wavelength shall be 525 nm ,572nm,610 nm & 660 nm			
				5	The unit shall have a test through put of more than 100 samples per hour.			
				6	The Unit shall have a Data Memory of more than 1000 test results and 50 quality control results.			
				7	The equipment needs to incorporate a Computer Interface			
				8	Test results to be automatically rectified from effects of non-specificity, pH, specific gravity & color			
				9	The Equipment shall have a built-in thermal printer or equivalent			
				10	The unit cost of test strips to be indicated in the pro forma invoice			
				11	The Manufacturer should have the following international certification.			
			ISO 9001:2000					
			ISO 13485:2003					
					CE			
				12	Each unit shall be supplied with comprehensive operation and service manuals printed in English			
				13	The supplier shall produce valid NMRA certificate for the quoted model.			
				14	The equipment shall be warranted for a period of not less than 12 calendar months from the date of successful commissioning on full "part & labour" basis. Such a warranty shall also include servicing and preventive maintenance during the period of validity			
Pack age 02	22	Refrigerator (standard)	2	1	The unit should work on power supply of 230V AC \pm 10%, 50Hz			
				2	Capacity: 250 Liters			

		for chemicals and reagent storing	3	The unit should be of floor standing type with polyurethane coating and a lockable door.			
			4	Temperature control range from 2~8°C with the ambient temperature from 10°C~32°C			
			5	Temperature control should be Microprocessor based			
			6	Instrument should have safety control such as Alarm for system malfunctions, over and under temperature, and sensor error.			
			7	Cabinet type should be Upright and shall have Single glass door			
			8	The unit should comprise of a suitable compressor with a thermal overload cut-out and relay.			
			9	The refrigerant used should be CFC free.			
			10	The unit should have not less than five (04) shelves and 4 casters			
			11	The unit should be equipped with a digital display mounted on the front panel to indicate chamber temperature			
			12	The unit should be supplied with user and service manuals in English			
			13	The unit should have forced air circulation on maintain a uniform chamber temperature			
			14	The equipment shall be warranted for a period of not less than 12 calendar months from the date of successful commissioning on full "part & labour" basis. Such a warranty shall also include servicing and preventive maintenance during the period of validity			
			15	The supplier shall produce valid NMRA certificate for the quoted model.			
23	Freezer (small)	1	1	Capacity -150L (Net)			
			2	Compressor/Inverter/Non Inverter-Non Inverter			
			3	Refrigerant-R600a			

				4	Technology-Direct Cooling				
				5	Colour / Finish-White				
				6	Number Of Doors-one				
				7	Door Type / Finish-Inner HIPS/ Insulated/ top open				
				8	Digital Display-No				
				9	Controls -Mechanical Thermostat				
				10	Interior - Number Of Door Compartments -One				
				11	Freezer Configuration-18 inner temperature				
				12	Temperature – (-18°C)				
				13	Temperature- Power Source/Voltage				
				14	Climate Class- T				
				15	Inner Body Type –PP Inner liner				
				16	Outer Body Type –U shell				
				17	Condenser Type (Out/Inside) - Inside				
				18	Power Consumption -150W				
Pack age 03	24	Centrifuge - Microhem atocrit centrifuge	1	1	Speed: not less than 600 rpm step of 100				
				2	Specimen capacity:12 tube/run				
				3	Sample size: 10 ml tube				
				4	Built in timer and speed control				
				5	Digital display				
				6	Brake				
				7	Door lock and safety protected lid				
					9	The supplier shall produce valid NMRA certificate for the quoted model.			
	25	Centrifuge - Ordinary electric	1	1	Speed: not less than 600 rpm step of 100				
				2	Specimen capacity:12 tube/run				
				3	Sample size: 10 ml tube				
				4	Built in timer and speed control				
				5	Digital display				
				6	Brake				
				7	Door lock and safety protected lid				
8				Power supply: 220VAC,50Hz					
				9	The supplier shall produce valid NMRA certificate for the quoted model.				

	26	Micro-hematocrit reader	5	1	Microhematocrit Reader						
				2	Dimensions: 8" (L) x 5" (W) x 1" (H) or equivalent						
				3	Warranty: 1 Year.						
				4	The supplier shall produce valid NMRA certificate for the quoted model.						
	27	Glucometer with strips	2	1	Should be a hand held meter						
				2	Should require no routine maintenance						
				3	Should have reading range/linearity from 20 to 600 mg/dl						
				4	Should have a maximum reading time of less than 10 seconds						
				5	Should use electrochemical technology						
				6	Should use a minimum blood sample less than 1.5µl						
				7	Should have a LCD display						
				8	Should have measuring unit in mg/dl.						
				9	Should have wide operating temperature						
				10	Should have a minimum memory of 50						
				11	Should have facility to ensure accuracy of measurements						
				12	Should have safety certificate from a competent authority CE / FDA (US) / STQC /CB						
				13	The supplier shall produce valid NMRA certificate for the quoted model.						
				GLUCOSE STRIPS							
				1	Should be able to use capillary blood samples.						
2	Should have a minimum 4 months shelf life after opening the strip vial.										
3	All strips should have at least one year expiry date from the date of supply.										
4	50 strips should be supplied along with the equipment.										
5	Strips should be available in the local market										
28	Micropipette (1µl –	2	1	Needs to be of single channel type with volume range of 1µl – 10µl							

29	10 μ l) + 100 Pipette Tips		2	Needs to be of non-metallic construction to ensure ease of use			
			3	Needs to be fully autoclavable			
			4	Construction material needs to be resistant to Moisture, UV Light and Reagents			
			5	Inaccuracy should not exceed ± 0.1 at 100 μ l			
			6	Design should be user friendly & should be able to avoid repetitive strain injuries, should be designed to place personal ID tag			
			7	Shall have mechanism to counter unintentional volume changes			
			8	Warranty should not less than 12 months			
			30	Micropipette (10 μ l – 100 μ l) + 100 Pipette Tips	2	1	Needs to be of single channel type with volume range of 10 μ l – 100 μ l
2	Needs to be of non-metallic construction to ensure ease of use						
3	Needs to be fully autoclavable						
4	Construction material needs to be resistant to Moisture, UV Light and Reagents						
5	Inaccuracy should not exceed ± 0.9 at 100 μ l						
6	Design should be user friendly & should be able to avoid repetitive strain injuries, should be designed to place personal ID tag						
7	Shall have mechanism to counter unintentional volume changes						
8	Warranty should not less than 12 months						
	Micropipette (1 μ l – 1000 μ l) + 100 Pipette Tips	2	1	Needs to be of single channel type with volume range of 1 μ l – 1000 μ l			
			2	Needs to be of non-metallic construction to ensure ease of use			
			3	Needs to be fully autoclavable			
			4	Construction material needs to be resistant to Moisture, UV Light and Reagents			
			5	Inaccuracy should not exceed ± 7 at			

				1000µl			
			6	Design should be user friendly & should be able to avoid repetitive strain injuries, should be designed to place personal ID tag			
			7	Shall have mechanism to counter unintentional volume changes			
			8	Warranty should not less than 12 months			
31	Neubauer counting chamber	3	1	Improved Neubauer -Depth 0.1mm, 1/400mm			
32	cover slips for counting chamber	10	1	cover slips for Neubauer counting chamber			
33	Digital Stirred Stainless Steel Water Bath	4	1	Capacity 38 L or higher			
			2	Digital temperature control through LCD panel			
			3	Safety cut-out fitted preventing dangerous overheating			
			4	Audible over set point temperature alarm			
			5	Stainless steel tank with powder coated exterior providing a durable chemical resistant			
			6	Temperature range: Ambient +5°C to 99°C			
			7	Sensitivity/temperature stability at least : ±0.1°C at 45°C			
			8	Temperature uniformity at least : ±0.01°C at 45°C			
			9	Stainless Steel Gable Lid to fit 38 L Stirred Baths			
			10	After sales services: should have a good after sales service. Please attach details of after sales service personal, their qualifications and address of the after sales division etc.			
			11	Letter of authority required from the manufacturer			
			12	Bath should be molded with rounded corners and seamless stainless steel to ensure efficient circulation and easy			

				for cleaning.			
			13	Should come with a rotating water stirrer to direct flow to various areas of the tank in order to improve temperature uniformity.			
			14	Documentary evidence of requested specifications should be provided by making on manufacturer's literature			
			15	Should be a world reputed brand and should contain at least 3 years acceptable working records including in Sri Lanka			
34	Weighing Scales	2	1	Capacity : 160 kg or better			
			2	Accuracy : 100 g or better			
			3	Platter Size: 350 mm x 300 mm (Tolerance +/- 10%)			
			4	The scale should be made up of heavy duty. Cast iron structure Platform with powder coated frames.			
			5	The Electronic Adult Weighing Scale should incorporate following features for user-friendly Convenience.			
			6	Display: LED / LCD: 5 digit with min. height 14 mm.			
			7	TARE facility with zero function.			
			8	HOLD function to lock the weight.			
			9	MEMORY function, to keep the last weight in memory.			
			10	The Scale should have inbuilt rechargeable battery backup for minimum of 8 hrs.			
			11	The Scale should be as per BIS specifications. The scale should have ISI mark			
35	Urino meter with Thermometer	3	1	Range of at least 1.000- 1.060			
36	Osmometer	1	1	Freezing point Osmometer with linear measuring range between 0 and 3000 mOsmol/kg with LCD screen for convenience in operation			
			2	Sample volume range should be 15 - 50 ml.			

				3	Measurement within a minute for handling higher workloads and serial measurements.			
				4	Facility for selection of two or three point calibration with provision for automatic calibration. Calibration should be stable for long period.			
				5	Should have capability for measurement of crystallization temperature with high resolution for calculation of results precisely and with high repeatability.			
				6	Sample cooling with high capacity air cooled peltier, without need for cooling liquid for dissipation of heat, or involving maintenance.			
				7	Shall have automation with (i) initiation of the crystallization, (ii) detection of measuring value,(iii) storage and (iv) calibration for reproducible results.			
				8	Resolution of measurement should be one mOsmol/kg or better over the entire range of measurement; and reproducibility should be within 2mOsmol/kg or better over the range of 0 to 400 mOsmol/kg, and at least 4 mOsmol/kg in the range of 400 to 3000 mOsmol/kg.			
				9	Quality management assistance shall be available for compliance with regulations.			
				10	Shall be offered with dedicated external quality control software covering calibration, control and result validation with full audit trail.			
				11	System should be complete with (i) consumables to run 500 samples including sample cups, calibrators, controls and (ii) recommended maintenance kit for Trouble free operation and (iii) suitable stabilizer.			
Pack age	37	Handheld Dynamom	1	1	Measurement scale - 0 – 500 Newton			
				2	Accuracy load cell- 0,1% (maximum)			

04	eter		3	Accuracy display- 0,1% (full scale)			
			4	Power- 2 pieces 544 6.2 volt batteries			
			5	Operation- One button (on/reset)			
				auto shut-off after 15 seconds			
			6	Display- 4-digit display with low battery-indication			
			7	Dimensions- Ca 150 x 85 x 85 mm			
			8	Weight -250grams			
			9	Delivered applicators - - finger applicator (to be used for little surfaces)			
				-arm applicator (to be used for larger surfaces)			
				- flat applicator (to measure flat surfaces)			
			10	Available applicators - fist grip applicator			
Pinch grip applicator							
Pain pressure applicator							
38	Spirometer	1	1	Type Hand-held Spirometer			
			2	Synonyms Spirometry Machine			
			3	Diagnostic Spirometer			
			4	Mode Automatic			
			5	Usage/Application Hospital/ Diagnostic Center/Clinic			
			6	Tests Performed FVC,FEV1,FEV1%,PEF,FEF25,FEF75,FEF2575			
			7	Flow Range 1 L/S ~16L/S			
			8	Volume Accuracy +-3% or 0.05L			
			9	Flow Accuracy +-10% or +-0.3L/s			
			10	Volume range 0~10L			
			11	The supplier shall produce valid NMRA certificate for the quoted model.			
39	Stadiometer	2	1	Material ABS and Aluminium			
			2	Measuring range up to 2.0 m			
			3	Graduation 1mm			
40	Bicycle Ergo	2	1	Seat and handlebars: a seat and handlebars that are adjustable in			

		meter			height.				
				2	Resistance systems: a distinction is made between the classic magnetic resistance system (manual or motorized)				
				3	The console and measured parameters: the console is a kind of dashboard on the bike that gives the user real-time information on his or her performance.				
	41	Peak flow meter + Disposable mouth pieces	2	1	EU - Standard				
				2	Yellow dial				
				3	At least 0-800 L per minute				
				4	Disposable mouth pieces				
Package 05	42	EMG-ENG with ability to perform visual and auditory Evoke Potentials	1	1	6 and 12-channel amplifiers				
				2	Recording electrodes				
				3	Stimulating electrodes				
				4	Grounding electrode				
				5	Junction box				
				6	Ability to change the stimulating current				
				7	The supplier shall produce valid NMRA certificate for the quoted model.				
		43	ECG Recorder-	1	1	12 lead, 4 channel			
					2	The unit shall be capable with 12 lead ECG acquisition			
					3	The unit shall be selectable 3,6 or 12 leads of waveform			
					4	The unit shall be have filter for remove noise of ECG integrity			
					5	The unit shall be supply with all necessary accessories			
					6	The unit shall be supply with inbuilt thermal printer			
					7	The unit shall has 20 min battery backup for ECG acquisition			
					8	The Unit shall has LCD/LED Display			
					9	The unit shall operate on the power supply of 230V±10% 50 Hz single phases.			

				10	One Year Comprehensive - Warranty Period			
				11	The supplier shall produce valid NMRA certificate for the quoted model.			
Pack age 06	44	Audio meter	1	1	Should be Completely Digital - No Frequent Calibrations			
				2	Pocket Size compact unit interfaced with pc			
				3	Automatic Synchronized Tone & Masking			
				4	Automatic calculation of Speech Scoring			
				5	TDH 49 Head Phones			
				6	With suitable Computer & Printer			
				7	Should have facility for AC, BC and Speech Audiometry			
				8	No of Channel: 2			
				9	Tone: Normal, Pulsed, Warble (Frequently Modulated 5% rate 5 Hz)			
				10	Frequency Range:- Air conduction 125 – 8000Hz			
					Bone Conduction 250 – 80000Hz			
				11	Special Tests: - ABLB			
					SISI with increment 1-2-3-4-5 dB			
					DECAY Test			
					BEKESY			
12	Intensity Range (Pure Tone) TDH 49 120db HL/95 dB (NBM)							
13	Intensity Range (Speed Audiometry) TDH 49 100 dB HL/95 dB HL (SN – WN)							
14	Optional							
	Should be upgradable to High Frequency Audiometry							
	Should be upgradable to Free Field Audiometry							
	Should have a option to Insert EAR PHONE.							
				15	The supplier shall produce valid NMRA certificate for the quoted model.			

45	Ophthalmoscope	2	1	Should be rechargeable battery with Charger / mains operated.				
			2	Should have halogen / LED light source				
			3	Should have red-free filters				
			4	Should have small and large spot sizes, fixation targets, slit aperture, hemi-spot and cobalt blue filter				
			5	Should have wheel control with lens powers ranging from +20D to -35D in single diopter steps up to 10D and 5D steps above that.				
			6	Should have illuminated lens dial.				
			7	Should have rubber brow rest.				
			8	Should have dust free optics and a spherical optical system				
			9	Should be supplied with a carrying case.				
			10	If halogen lamp is used, then the following additional accessories should be supplied				
			11	Bulb – 1 no				
			12	Bulb holder				
			13	Bulb cover				
						14	The supplier shall produce valid NMRA certificate for the quoted model.	
46	Oroscope	1	1	Die-cast housing of copper-aluminum alloy, chrome coated				
			2	Measurement temperature without ATC: 20 °C				
			3	Measurement temperature range with ATC: 10 °C – 30 °C				
			4	The supplier shall produce valid NMRA certificate for the quoted model				
Package 07	47	BP (Sphygmomanometer) – Mercury	10	1	0-300 mmHg manometer			
				2	Type - Mercury			
				3	Supplied with Bladder, Bandage cuff in Adult size, Control valve & Inflation bulb			
				4	Glass manometer tube			
				5	Mercury reservoir isolation valve			

			6	Warranty – 01 Year				
48	BP (Sphygmo manometer) - Non-Mercury	5	1	0-300 mmHg manometer				
			2	Supplied with Bladder, Bandage cuff in Adult size, Control valve & Inflation bulb				
			3	Warranty – 01 Year				
			4	The supplier shall produce valid NMRA certificate for the quoted model.				
49	BP sphygmo manometer – aneroid	1	1	0-300 mmHg manometer				
			2	Diameter –50 – 100 mm				
			3	Supplied with Bladder, Bandage cuff in Adult size cuffs– 1, extra-large cuffs -2, Paediatric cuffs -2, infant cuff -1				
			4	Control valve & Inflation bulb				
			5	Warranty – 01 Year				
			6	The supplier shall produce valid NMRA certificate for the quoted model.				
50	Stethoscope	10	1	Chrome-plated. Dual-head chest piece				
			2	48 mm chest-piece has white diaphragm				
			3	Complete with 2 spare ear tips and a spare diaphragm				
			4	Litman or equivalent				
			5	The supplier shall produce valid NMRA certificate for the quoted model.				
51	Knee hammer	5	1	standard				
52	Tuning fork set (128Hz, 256Hz & 512Hz)	3	1	Stainless Steel				
			2	Wide round base				
53	Nylon monofilament set for sensory testing	1	1	Size 1-5				
Pack	54	Patient	2	1	Must be on wheels			

age 08		Bed		2	Two of them should be lockable			
				3	Side railings collapsible			
				4	Size shall be 6'x3' or equivalent			
				5	Head and Foot ends should be protected			
				6	Head and Foot ends should be adjustable			
				Pack age 09	55	Light Microscope (binocular)	5	1
2	Unit shall be able to function optimally at ambient temperature of 18 -300 C and a humidity C of 20-85%							
3	Optical System should be Colour - corrected infinity optical system							
4	Binocular tube inclined at 30 degree ergonomic C angle for user comfort							
5	Anti-fungal treatment on Binocular tube, eyepieces and objectives							
6	Integrated, Plastic coated carrying handle for convenient and safe transport.							
7	Plan ACHROMAT objectives, x4, x10, x40,x100(Oil)							
8	Eyepieces x 10 with a field diameter of 18mm C with diopter adjustment on both eyepieces.							
9	Built- in Modular type transmitted illumination C base.							
10	Illumination 6V/30W halogen bulb or 6V/3W LED with "pre-centered" lamp mount for easy C lamp changing with intensity control. The lamp life time should be at least 50000 h.							
11	Quadruple reverse nosepiece tilted backwards (to accommodate 4 objectives) with precision C click stops for easy rotation.							

			12	Coarse and fine focusing adjustment knobs with C full stroke range 25mm.			
			13	Tension adjustment on coarse focus adjustment knob.			
			14	Stage size at least 140 x 135 mm.			
			15	Stage handles with tactile grips for a light stage movement.			
			16	Stage available with either Right hand or left hand operation.			
			17	Stage traveling range at least 75mm(X) x C 30mm(Y)			
			18	Interpupillary distance adjustment range should C be at least 48 -75mm or better.			
			19	Abbe condenser with built- in daylight filter with built-in aperture iris diaphragm and a Numerical C aperture 1.25 with oil immersion.			
			20	Observation through microscope should be with C hands resting on the table with focus controls, stage movement knobs and light intensity control knob close together for fatigue free observation for long hours (with no arm rests)			
				General Conditions			
			1	The equipment should be re- focusing stopper for any slide thickness variations.			
			2	The unit shall operate on the power supply of C 230V±10% 50 Hz single phases.			
			3	The unit shall have a compatible uninterrupted power supply. The cost of such item shall be quoted separately			
			4	Each unit shall be supplied with an instruction C manual and a service manual in English.			
			5	Full graphic illustrated original technical literature in English describing the equipment offered and C detailing the specifications shall be supplied with the bid. ,			

				6	A detailed proforma invoice of the equipment C describing the parts and accessories offered as requested by the specification together with their make, model, country of origin, unit price, quantity, total price, ref. numbers of accessories and the period of warranty offered etc. shall be compulsorily provided with the bid			
				7	The Consumables & fast-moving spare parts prices shall be quoted separately & shall be valid for a C period of at least for 5 years (Euro or USD Price list).			
				8	A list of users if any, in Sri Lanka of the equipment offered shall be provided together with the date of supply			
				9	If the model is not available in Government Hospitals in Sri Lanka, a sample unit shall be submitted for evaluation when requested			
				10	The supplier shall produce valid NMRA certificate for the quoted model.			

Section VII Contract Data

The Following Contract Data Shall supplements and / or amends the conditions of contract (CC). Whenever there is a conflict, the provisions herein shall prevail over those in the CC.

CC1.1 (i)	The Purchaser is : Uva Wellassa University of Sri Lanka
CC 1.1 (m)	The Project Site(s) / Final Destinations (s) is / are :- Uva Wellassa University, Passara Road, Badulla
CC 8.1	For notices, the purchaser' s address Attention: - Deputy Bursar, Stores and Supplies Address :- Uva Wellassa University of Sri Lanka, Passara Road, Badulla Telephone: - 055-2226475
CC 11	Goods shall be supplies in compliance with the quality and the specification given.
CC 15.1	CC 15.1 – The method and conditions of payment to be made to the Supplier under this Contract shall be as follows: A: For Goods offered within Sri Lanka Payment shall be made in Sri Lanka Rupees within thirty (30) days of presentation of claim supported by a certificate from the Purchaser declaring that the Goods have been delivered and that all other contracted Services have been performed. (i) On Delivery: up to a maximum of ninety (90) percentage of the Contract price, shall be paid on receipt of the Goods. (ii) On Acceptance: the remaining ten(10) percentage of the Contract price Shall be paid to the Supplier within ninety (90) days. After the certification of acceptance.
CC 17.1	A Performance Security – 10%
CC 26.1	The liquidated damage shall be : 2% per week
CC 26.1	The maximum amount of liquidated damages shall be : 10%

**INVITAION TO BIDS
UVA WELLASSA UNIVERSITY**



**Supply, Delivery, Installation and Commissioning of Laboratory Equipment for
Faculty of Medicine,
Uva Wellassa University**

UWU/G/NCB/FOM/23/01

The Chairman, Department Procurement Committee, on behalf of the Uva Wellassa University, invites sealed bids from eligible and qualified bidders for **Supply, Delivery, Installation and Commissioning of Laboratory Equipment for Faculty of Medicine, Uva Wellassa University** as described below.

1. Bidding will be conducted through the National Competitive Bidding (NCB) procedure.
2. Bidder should have at least three years of experience in the relevant field in Sri Lanka.
3. Interested eligible bidders may obtain further information from the Deputy Bursar / Stores and Supplies, Uva Wellassa University, Passara Road, Badulla, (Tel. No: 055-2226475, Fax No: 055-2226633), and inspect the bidding documents at the Supplies Division of the University between 9.00 a.m. to 3.00 p.m. from 28.08.2023 to 18.09.2023
4. A complete set of bidding documents in English may be purchased by interested bidders on submission of a written application to the Deputy Bursar/ Stores and Supplies, Uva Wellassa University, Passara Road, Badulla and upon payment of a non-refundable fee of LKR 8,000.00 in cash at the Shroff Counter of the University. The bidder can also download the bidding documents from the University website www.uwu.ac.lk. Those who are obtaining bidding documents from the University website should submit the complete documents along with a Bank Draft drawn in favour of the “Vice Chancellor, Uva Wellassa University” for LKR 8,000.00 as non-refundable fee or the payments could be made to any branch of Bank of Ceylon, to the Uva Wellassa University, Account No: 3114820, and the customer copy of the cash receipt/deposit slip to be attached with the bidding documents. The documents may be purchased until 18.09.2023

5. Bids must be delivered to **Chairman, Department Procurement Committee, Uva Wellassa University, Passara Road, Badulla**, on or before **2.30 p.m. on 19th September 2023** Please indicate the “**Supply, Delivery, Installation and Commissioning of Laboratory Equipment for Faculty of Medicine, Uva Wellassa University**” on the top left hand corner of the envelope.
6. All bids must be accompanied by a Bid Security addressed to the **Chairman, Department Procurement Committee, Uva Wellassa University**, valid for 120 days from the date of the bid opening specified in the following table.

Type	Item No	Name of the Item	Qty (Nos)	Bid Security (Rs.)
Package 01	1	Auto clave (Bench top)	2	267,600.00
	2	Digital Top Loading balance	2	
	3	Analytical balance	1	
	4	Bunsen Burners	20	
	5	Centrifuge machine (15ml and 50ml Tubes)	1	
	6	Centrifuge machine – Eppendorf (micro-centrifuge) tubes	1	
	7	Cyclo/ Vortex mixer	2	
	8	Distillation water plant	1	
	9	Magnetic stirrers With hot plate	3	
	10	(2-20) µl Micro pipettes	5	
	11	(20-200) µl Micro pipettes	5	
	12	(100-1000) µl Micro pipettes	5	
	13	(0.5-10) µl Micro pipettes	2	
	14	Hot Air Oven	2	
	15	pH meter(bench top)	3	
	16	Double beam Spectrophotometer (UV/Visible) with 5 cuvettes	1	
	17	Water bath (Boiling)	1	
	18	Vacuumed Pump	2	
	19	Heating Mantle 500ml	1	
	20	Heating Mantle 1000ml	1	
	21	Urine Strip Reader	1	
Package 02	22	Refrigerator (standard) for chemicals and reagent storing	2	33,000.00
	23	Freezer (small)	1	

Package 03	24	Centrifuge - Microhematocrit centrifuge	1	60,000.00
	25	Centrifuge - Ordinary electric	1	
	26	Micro-hematocrit reader	5	
	27	Glucometer with strips	2	
	28	Micropipette (1µl – 10µl) + 100 Pipette Tips	2	
	29	Micropipette (10µl – 100µl) + 100 Pipette Tips	2	
	30	Micropipette (1µl – 1000µl) + 100 Pipette Tips	2	
	31	Neubauer counting chamber	3	
	32	Cover slips for counting chamber	10	
	33	Digital Stirred Stainless Steel Water Bath	4	
	34	Weighing Scales	2	
	35	Urino Meter with Thermometer	3	
	36	Osmo-meter	1	
Package 04	37	Handheld Dynamometer	1	10,200.00
	38	Spirometer	1	
	39	Stadiometer	2	
	40	Bicycle Ergo meter	2	
	41	Peak flow meter + Disposable mouth pieces	2	
Package 05	42	EMG- ENG with ability to perform visual and Auditory Evoke Potentials	1	12,000.00
	43	ECG Recorder	1	
Package 06	44	Audio meter	1	53,200.00
	45	Ophthalmoscope	2	
	46	Oroscope	1	
Package 07	47	BP (Sphygmomanometer) – Mercury	10	10,000.00
	48	BP (Sphygmomanometer) - Non- Mercury	5	
	49	BP sphygmomanometer – aneroid	1	
	50	Stethoscope	10	
	51	Knee hammer	5	
	52	Tuning fork set (128Hz, 256Hz & 512Hz)	3	
	53	Nylon monofilament set for sensory testing	1	

Package 08	54	Patient Bed	2	9,000.00
Package 09	55	Light Microscope (Binocular)	5	45,000.00

7. Pre Bid meeting will be held at **10.00 a.m. on 12th September 2023**, at the Office of the Faculty of Medicine, Uva Wellassa University.
8. The bids shall be deposited in the ‘Tender Box’ available in the Office of the Registrar of the University, or sent under Registered Cover to be received before the deadline to the address given in Clause No.5.
9. Late bids will be rejected. Bids will be opened immediately after the closing of bids, in the presence of the bidders or their authorized representatives who choose to attend the bid opening at the Mini Boardroom, Senate Building of the Uva Wellassa University.

Chairman
Department Procurement Committee
Uva Wellassa University
Passara Road
Badulla
Tel/ Fax No: 055-2226475, 055-2226633